1Z0-809^{Q&As}

Java SE 8 Programmer II

Pass Oracle 1Z0-809 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/1z0-809.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Given the code fragment:

Stream iStr= Stream.of (

Arrays.asList ("1", "John"),

Arrays.asList ("2", null)0;

Stream x.stream ());

nInSt.forEach (System.out :: print);

What is the result?

A. 1John2null

B. 12

C. A NullPointerException is thrown at run time.

D. A compilation error occurs.

Correct Answer: D

QUESTION 2

In 2015, daylight saving time in New York, USA, begins on March 8th at 2:00 AM. As a result, 2:00 AM becomes 3:00 AM.

Given the code fragment:

```
ZoneId zone = ZoneId.of("America/New_York");
ZonedDateTime dt = ZonedDateTime.of(LocalDate.of(2015, 3, 8), LocalTime.of(1, 0),
zone);
ZonedDateTime dt2 = dt.plusHours(2);
System.out.print(DateTimeFormatter.ofPattern("H:mm - ").format(dt2));
System.out.println("difference: " + ChronoUnit.HOURS.between(dt, dt2));
```

Which is the result?

A. 3:00 – difference: 2

B. 2:00 – difference: 1

C. 4:00 – difference: 3

D. 4:00 – difference: 2

Correct Answer: D

QUESTION 3

Given: From what threading problem does the program suffer?

```
class Counter extends Thread {
      int i = 10;
      public synchronized void display(Counter obj) {
            try {
                  Thread.sleep(5);
                  obj.increment(this);
                  System.out.printIn(i);
            } catch (InterruptedException ex) {   }
      }
      public synchronized void increment (Counter obj) {
            i++;
      }
}
public class Test {
      public static void main(String[] args) {
            final Counter obj1 = new Counter();
            final Counter obj2 = new Counter();
            new Thread(new Runnable() {
                  public void run() {obj1.display(obj2);
                  }
            }).start();
            new Thread(new Runnable() {
                  public void run() { obj2.display(obj1); }
            }).start();
      }
}
```

A. race condition

B. deadlock

C. starvation

D. livelock

Correct Answer: B

QUESTION 4

Given:

final class Folder { //line n1 //line n2 public void open () {

 System.out.print("Open");

 } } public class Test {

 public static void main (String [] args) throws Exception { try (Folder f = new Folder()) { f.open(); } } }

Which two modifications enable the code to print Open Close? (Choose two.)

A. Replace line n1 with: class Folder implements AutoCloseable {

B. Replace line n1 with: class Folder extends Closeable {

C. Replace line n1 with: class Folder extends Exception {

D. At line n2, insert: final void close () { System.out.print("Close"); }

E. At line n2, insert:

public void close () throws IOException {

System.out.print("Close");

}

Correct Answer: AE

QUESTION 5

Given:

```
class MyClass implements AutoCloseable {
    int test;
    public void close() { }
    public MyClass copyObject() { return this; }
}
```

and the code fragment:

```
MyClass obj = null;
try (MyClass obj1 = new MyClass()) {
    obj1.test = 100;
    obj = obj1.copyObject();   // line n1
}
System.out.println(obj.test); // line n2
```

What is the result?

A. An exception is thrown at line n2.

B. 100

C. A compilation error occurs because the try block is declared without a catch or finally block.

D. A compilation error occurs at line n1.

Correct Answer: B