



1Z0-809^{Q&As}

Java SE 8 Programmer II

Pass Oracle 1Z0-809 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-809.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Given the code fragment:

```
Stream files = Files.walk(Paths.get(System.getProperty("user.home")));  
files.forEach (fName -> { //line n1  
try {  
Path aPath = fName.toAbsolutePath(); //line n2  
System.out.println(fName + ":"  
+ Files.readAttributes(aPath, Basic.File.Attributes.class).creationTime  
());  
} catch (IOException ex) {  
ex.printStackTrace();  
}});
```

What is the result?

- A. All files and directories under the home directory are listed along with their attributes.
- B. A compilation error occurs at line n1.
- C. The files in the home directory are listed along with their attributes.
- D. A compilation error occurs at line n2.

Correct Answer: A

QUESTION 2

Given the code fragment:

```
public void recDelete (String dirName) throws IOException {  
File [ ] listOfFiles = new File (dirName) .listFiles();  
if (listOfFiles != null andand listOfFiles.length >0) {  
for (File aFile : listOfFiles) {  
if (!aFile.isDirectory ()) {  
if (aFile.getName ().endsWith (".class"))  
aFile.delete ();
```



```
}  
  
}  
  
}  
  
}
```

Assume that Projects contains subdirectories that contain .class files and is passed as an argument to the recDelete () method when it is invoked.

What is the result?

- A. The method deletes all the .class files in the Projects directory and its subdirectories.
- B. The method deletes the .class files of the Projects directory only.
- C. The method executes and does not make any changes to the Projects directory.
- D. The method throws an IOException.

Correct Answer: B

QUESTION 3

Given:

```
class RateOfInterest {  
  
public static void main (String[] args) {  
  
int rateOfInterest = 0;  
  
String accountType = "LOAN";  
  
switch (accountType) {  
  
case "RD";  
  
rateOfInterest = 5;  
  
break;  
  
case "FD";  
  
rateOfInterest = 10;  
  
break;  
  
default: assert false: "No interest for this account"; //line n1 } System.out.println ("Rate of interest:" + rateOfInterest); } }
```

and the command:

```
java -ea RateOfInterest
```



What is the result?

- A. Rate of interest: 0
- B. An AssertionError is thrown.
- C. No interest for this account
- D. A compilation error occurs at line n1.

Correct Answer: B

QUESTION 4

Given:

```
class CheckClass {  
  
public static int checkValue (String s1, String s2) {  
  
return s1.length() ? s2.length();  
  
}  
  
}
```

and the code fragment:

```
String[] strArray = new String [] {"Tiger", "Rat", "Cat", "Lion"}  
  
//line n1  
  
for (String s : strArray) {  
  
System.out.print (s + " ");  
  
}
```

Which code fragment should be inserted at line n1 to enable the code to print Rat Cat Lion Tiger?

- A. `Arrays.sort(strArray, CheckClass :: checkValue);`
- B. `Arrays.sort(strArray, (CheckClass :: new) :: checkValue);`
- C. `Arrays.sort(strArray, (CheckClass :: new).checkValue);`
- D. `Arrays.sort(strArray, CheckClass :: new :: checkValue);`

Correct Answer: A

QUESTION 5



Given the structure of the STUDENT table:

Student (id INTEGER, name VARCHAR)

Given:

```
public class Test {  
  
    static Connection newConnection =null;  
  
    public static Connection get DBConnection () throws SQLException {  
  
        try (Connection con = DriverManager.getConnection(URL, username, password)) {  
  
            newConnection = con;  
  
        }  
  
        return newConnection;  
  
    }  
  
    public static void main (String [] args) throws SQLException {  
  
        get DBConnection ();  
  
        Statement st = newConnection.createStatement();  
  
        st.executeUpdate("INSERT INTO student VALUES (102, `Kelvin\`)");  
  
    }  
  
}
```

Assume that:

The required database driver is configured in the classpath.

The appropriate database is accessible with the URL, userName, and passWord exists.

The SQL query is valid.

What is the result?

- A. The program executes successfully and the STUDENT table is updated with one record.
- B. The program executes successfully and the STUDENT table is NOT updated with any record.
- C. A SQLException is thrown as runtime.
- D. A NullPointerException is thrown as runtime.

Correct Answer: C