



1Z0-811^{Q&As}

Java Foundations

Pass Oracle 1Z0-811 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-811.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two Java reserved words are used to implement encapsulation?

- A. final
- B. static
- C. public
- D. extends
- E. private

Correct Answer: CE

Reference: <https://learn.saylor.org/mod/page/view.php?id=22044>

QUESTION 2

```
13  
14 public class Test {  
15     public static void main (String[] args) {  
16         int[] arr1 = {1, 2, 3};  
17         int[] arr2 = new int[2];  
18         arr2[0] = 10;  
19         System.out.print(arr1.length + " : " + arr2.length);  
20     }  
21 }
```

Execute Mode, Version, Inputs & Arguments

JDK 11.0.4

CommandLine Arguments

Result

CPU Time: 0.24 sec(s), Memory: 35328 kilobyte(s)

3 : 2

Identify three advantages of object-oriented programming.

- A. separation of state and behavior



- B. modularity
- C. information sharing
- D. code reuse
- E. information hiding

Correct Answer: BDE

Reference: https://www.tutorialspoint.com/object_oriented_analysis_design/ood_quick_guide.htm

QUESTION 3

Given the code fragment:

```
String[] codes = {"CA", "JP", "US", "CA", "UK"};
int count = 0;
for (String c : codes) {
    if (c.equals("CA")) {
        continue;
    } else {
        count++;
    }
}
System.out.println(count);
```

What is the result?

- A. 3
- B. A compilation error occurs.
- C. 2
- D. 0

Correct Answer: A



```
13 public class App {
14     public static void main (String[] args) {
15         String[] codes = {"CA", "JP", "US", "CA", "UK"};
16         int count = 0;
17         for (String c : codes) {
18             if (c.equals("CA")) {
19                 continue;
20             } else {
21                 count++;
22             }
23         }
24         System.out.println(count);
25     }
26 }
27 }
```

Execute Mode, Version, Inputs & Arguments

JDK 11.0.4

CommandLine Arguments

Result

CPU Time: 0.17 sec(s), Memory: 30712 kilobyte(s)

3

QUESTION 4

Given:



```
class Bus {
    String type = "default";
    // line n1
    Bus (String type) {
        // line n2
        this.type = type;
    }
}

public class App{
    public static void main(String[] args) {
        Bus b1 = new Bus ();
        System.out.println(b1.type);
        Bus b2 = new Bus ("luxury");
        System.out.println (b2.type);
    }
}
```

What is the result?

- A. The code fails to compile. To make it compile, at line n1 insert: this () {}
- B. The code fails to compile. To make it compile, at line n2 insert: this ();
- C. The code fails to compile. To make it compile, at line n1 insert: Bus () {}
- D. The code compiles and prints: default

luxury

Correct Answer: C



```
13
14 class Bus {
15     String type = "default";
16     Bus () { }
17     Bus (String type) {
18         // line n2|
19         this.type = type;
20     }
21 }
22
```

Console 4

Console 5

Console 6

```
default
luxury
```

Completed with exit code: 0

QUESTION 5

Given the code fragment:

```
boolean checkOut = true;
int days = 0;
while (checkOut) {
    days++;
    if (days > 3) {
        checkOut = false;
    }
}
System.out.print(days);
```

What is the result?

- A. 2
- B. 4
- C. The program executes an infinite number of times.
- D. 3

Correct Answer: B



VCE & PDF

GeekCert.com

<https://www.geekcert.com/1z0-811.html>

2024 Latest geekcert 1Z0-811 PDF and VCE dumps Download

[1Z0-811 VCE Dumps](#)

[1Z0-811 Practice Test](#)

[1Z0-811 Braindumps](#)