



# 1Z0-811<sup>Q&As</sup>

Java Foundations

**Pass Oracle 1Z0-811 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-811.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which statement is true about a mutator method?

- A. It replaces the default constructor.
- B. It returns mutated instance members.
- C. It must be declared private.
- D. It can be used to assign data to instance members.

Correct Answer: B

Reference: <https://core.ac.uk/download/pdf/4824892.pdf>

---

### QUESTION 2

CPU Time: sec(s), Memory: kilobyte(s)

```
/TestFinal.java:15: error: <identifier> expected
  final int 1 = 5;
          ^
/TestFinal.java:17: error: not a statement
  test.1 = 99;
    ^
/TestFinal.java:17: error: ';' expected
  test.1 = 99;
    ^
/TestFinal.java:22: error: ')' expected
  System.out.println (tf.1);
                        ^
4 errors
```

What does `import java.io*` mean?

- A. Only the io class is imported.
- B. All classes in the io package are imported.
- C. All classes whose names start with io are imported.
- D. All classes in the io package and the subpackages of io packages, if any, are imported.

Correct Answer: D

---



### QUESTION 3

Given the code

```
int num = 100;
int count = 0;
do {
    num--;
    count++;
} while (count > 1);
System.out.println ("num = " + num);
```

What is the result?

- A. The program executes indefinitely.
- B. num = 100
- C. num = 99
- D. num = 0

Correct Answer: C

---

### QUESTION 4

Given the code:

```
public class Calc {
    // line n1
    return a + b;
}
public static void main(String[] args) {
    Calc obj = new Calc();
    int c = obj.sum(10, 20);
    System.out.println("sum is " + c);
}
}
```

Which code fragment, when inserted at line n1, enables the code to print sum is 30?

- A. `int sum(int a, b) {`
- B. `int sum(int a, int b) {`
- C. `int sum(int, int) {`



D. int sum(int[] a, b) {

Correct Answer: D

### QUESTION 5

Given the code fragment:

```
List<String> names = new ArrayList<> ();  
names.add("Julia");  
names.add("Peter");  
for (Iterator<String> itr = names.iterator (); itr.hasNext();) {  
    System.out.println(itr.next());  
}
```

What is the result?

- A. A compilation error occurs.
- B. A runtime exception is thrown.
- C. Julia Peter
- D. Peter Julia

Correct Answer: C

```
Console 4  
Julia  
Peter  
Completed with exit code: 0
```