



1Z0-811^{Q&As}

Java Foundations

Pass Oracle 1Z0-811 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-811.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Given the code fragment:

```
String a = "Java";  
String b = new String ("Java");  
System.out.println (a.equals(b));  
System.out.println (a==b);
```

What is the result?

- A. false false
- B. true true
- C. true false
- D. false true

Correct Answer: A



```
14 public class Course {
15     public static void main (String[] args) {
16         String a = "java";
17         String b = new String ("Java");
18         System.out.println (a.equals(b));
19         System.out.println (a==b);
20     }
21 }
```

Execute Mode, Version, Inputs & Arguments

JDK 11.0.4

CommandLine Arguments

Result

CPU Time: 0.14 sec(s), Memory: 30316 kilobyte(s)

```
false
false
```

QUESTION 2

Given:



```
public class App{
    int num;
    public int add(int x) {
        num = num + x;
        return num;
    }
    public void add(int x) {
        num = num + x;
    }
    public static void main(String[] args) {
        App obj = new App();
        obj.add (100);
        int ans = obj.add(100);
        System.out.println(obj.num);
    }
}
```

What is the result?

- A. 300
- B. 100
- C. 200
- D. A compilation error occurs.

Correct Answer: D

```
12
13 public class App {
14     int num;
15     public int add(int x) {
16         num = num + x;
17         return num;
18     }
19     public void add(int x) {
20         num = num + x;
21     }
22     public static void main (String[] args) {
23         App obj = new App();
24         obj.add (100);
25         int ans = obj.add(100);
26         System.out.println(obj.num);|
27     }
28 }
29
```

✖ method add(int) is already defined in class App



QUESTION 3

```
13 public class App {  
14     public static void main (String[] args) {  
15         String s= "Hello Java";  
16         System.out.println (s.length());  
17         s.concat ("SE8");  
18         System.out.println (s.length ());  
19     }  
20 }  
21 }
```

Execute Mode, Version, Inputs & Arguments

JDK 11.0.4

CommandLine Arguments

Result

CPU Time: 0.14 sec(s), Memory: 30272 kilobyte(s)

```
10  
10
```

Given the code fragment:

```
public static void main(String[] args) {  
    int[] arr = {10, 0};  
    int i = 0;  
    try {  
        int answer = arr[i] / arr[i + 1];  
    } catch (Exception e) {  
        System.out.println("Unknown issues.");  
    } catch (ArithmeticException ae) {  
        System.out.println("invalid divisor.");  
    }  
}
```

What is the result?



- A. Unknown issues. Invalid divisor.
- B. Unknown issues.
- C. Invalid divisor.
- D. A compilation error occurs.

Correct Answer: D

```
13 public class App {
14     public static void main (String[] args) {
15         int[] arr = {10, 0};
16         int i = 0;
17         try {
18             int answer = arr[i] / arr[i + 1];
19         } catch (Exception e) {
20             System.out.println("Unknown issues.");
21         }
22         } catch (ArithmeticException ae) {
23             System.out.println("Invalid divisor.");
24         }
25     }
26 }
27 }
```

Execute Mode, Version, Inputs & Arguments

JDK 11.0.4 Interactiv

CommandLine Arguments

Execu

result

PU Time: sec(s), Memory: kilobyte(s)

```
/App.java:22: error: exception ArithmeticException has already been caught
    } catch (ArithmeticException ae) {
    ^
1 error
```

QUESTION 4



Given:

```
1. class Test {
2.     /* comment text 1 */
3.     // comment text 2 //
4.     // comment text 3
5.     and comment text 4 //
6.     /* comment text 5
7.     and comment text 6 */
8. }
```

At which line does a compilation error occur?

- A. line 5
- B. line 2
- C. line 3
- D. line 7

Correct Answer: A

QUESTION 5



```
13
14 public class Test {
15     public static void main (String[] args) {
16         int value = 10;
17         int a = ++value;
18         int b = value;
19         int c = value++;
20         if (a <= b && a <= c) {
21             if (b <= c) {
22                 a = ++b;
23             } else {
24                 a = ++c;
25             }
26         }
27         System.out.println(a);
28     }
29 }
```

Execute Mode, Version, Inputs & Arguments

JDK 11.0.4

CommandLine Arguments

Result

CPU Time: 0.16 sec(s), Memory: 30296 kilobyte(s)

12

Given the code fragment:

```
String inputFromConsole = " betaTEST ";
String cleanedInput;
cleanedInput = inputFromConsole.toUpperCase();
cleanedInput = cleanedInput.trim();
System.out.println("[ " + cleanedInput + " ]");
```

What is the result?

- A. [BETATEST]
- B. [betaTest]
- C. [betaTest]



D. [BETATEST]

Correct Answer: D

```
13  
14 public class Test {  
15     public static void main (String[] args) {  
16         String inputFromConsole = " betaTEST ";  
17         String cleanedInput;  
18         cleanedInput = inputFromConsole.toUpperCase();  
19         cleanedInput = cleanedInput.trim();  
20         System.out.println "[" + cleanedInput + " ]";  
21     }  
22 }
```

Execute Mode, Version, Inputs & Arguments

JDK 11.0.4

CommandLine Arguments

Result

CPU Time: 0.19 sec(s), Memory: 32340 kilobyte(s)

[BETATEST]

[Latest 1Z0-811 Dumps](#)

[1Z0-811 Study Guide](#)

[1Z0-811 Exam Questions](#)