



1Z0-815^{Q&As}

Java SE 11 Programmer I

Pass Oracle 1Z0-815 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-815.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Given: Which code, when inserted at one or more marked positions, would allow classes B and C to compile?

```
public interface A {  
    abstract void x();  
}
```

and

```
public abstract class B /* position 1 */ {  
    /* position 2 */  
    public void x() { }  
    public abstract void z();  
}
```

and

```
public class C extends B implements A {  
    /* position 3 */  
}
```

- A. @Override // position 3 void x () {} // position 3 @Override // position 3 public void z() {} // position 3 // position 2
- B. @Override public void z() {} // position 3
- C. implements A // position 1 @Override // position 2
- D. public void z() {} // position 3

Correct Answer: B

QUESTION 2

Given the code fragment:



```
String s1 = new String("ORACLE");
String s2 = "ORACLE";
String s3 = s1.intern();

System.out.print((s1==s2) + " ");
System.out.print((s2==s3) + " ");
System.out.println(s1==s3);
```

What is the result?

- A. false true true
- B. true false false
- C. false false true
- D. false true false

Correct Answer: D

```
Console 1 Console 2
false true false
Completed with exit code: 0
```

QUESTION 3

Which two statements are correct about modules in Java? (Choose two.)

- A. java.base exports all of the Java platforms core packages.
- B. module-info.java can be placed in any folder inside module-path.
- C. A module must be declared in module-info.java file.
- D. module-info.java cannot be empty.
- E. By default, modules can access each other as long as they run in the same folder.

Correct Answer: CE

Reference: <http://tutorials.jenkov.com/java/modules.html>



QUESTION 4

Given:

```
1. {
2.   Iterator iter = List.of(1,2,3).iterator();
3.   while (iter.hasNext()) {
4.     foo(iter.next());
5.   }
6.   Iterator iter2 = List.of(1,2,3).iterator();
7.   while (iter.hasNext()) {
8.     bar(iter2.next());
9.   }
10. }
11. for (Iterator iter = List.of(1,2,3).iterator(); iter.hasNext(); ) {
12.   foo(iter.next());
13. }
14. for (Iterator iter2 = List.of(1,2,3).iterator(); iter.hasNext(); ) {
15.   bar(iter2.next());
16. }
```

Which loop incurs a compile time error?

- A. the loop starting line 11
- B. the loop starting line 7
- C. the loop starting line 14
- D. the loop starting line 3

Correct Answer: A

QUESTION 5

Given the code fragment:

```
int x = 0;
while(x < 10){
    System.out.print(x++);
}
```

Which "for" loop produces the same output?



- A.

```
int b = 0;
for( ; b < 10; ){
    System.out.print(++b);
}
```
- B.

```
for(a; a < 10; a++){
    System.out.print(a);
}
```
- C.

```
for(int d = 0; d < 10; ){
    System.out.print(d);
    ++d;
}
```
- D.

```
for(int c = 0; ; c++){
    System.out.print(c);
    if(c == 10){
        break;
    }
}
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: A

[Latest 1Z0-815 Dumps](#)

[1Z0-815 Practice Test](#)

[1Z0-815 Exam Questions](#)