



1Z0-860^{Q&As}

Java Enterprise Edition 5 Business Component Developer Certified
Professional Exam

Pass Oracle 1Z0-860 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-860.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

Given:

A session bean Foo uses container-managed transactions. The container throws a `javax.transaction.TransactionRolledBackException` when the `doStuff` method runs. Which transaction attribute can the `doStuff` method have for this to occur?

- A. NEVER
- B. MANDATORY
- C. REQUIRES_NEW
- D. NOT_SUPPORTED

Correct Answer: B

QUESTION 2

Which statement about entity manager is true?

- A. A container-managed entity manager must be a JTA entity manager.
- B. An entity manager injected into session beans can use either JTA or resource-local transaction control.
- C. An entity manager created by calling the `EntityManagerFactory.createEntityManager` method always uses JTA transaction control.
- D. An entity manager obtained through resource injection in a stateful session bean can use a resource-local `EntityTransaction` for transaction control.

Correct Answer: A

QUESTION 3

Given the following code in an EJB 3.0 session bean:

10.

```
@Resource(name="jdbc/employeeDB")
```

11.

```
private DataSource dataSource;
```

12.

13.



```
public void lookupEmployee(String id) {
```

14.

```
InitialContext ic = new InitialContextO;
```

15.

```
// insert code here
```

16.

```
DataSource ds = (DataSource) obj;
```

17.}

Which code, inserted at Line 15, portably looks up the injected resource?

- A. Object obj = ic.lookup("employeeDB");
- B. Object obj = ic.lookup("dataSource");
- C. Object obj = ic.lookup("jdbc/employeeDB");
- D. Object obj = ic.lookup("javacomp/env/employeeDB");
- E. Object obj = ic.lookup("java:comp/env/jdbc/employeeDB");

Correct Answer: E

QUESTION 4

Which two statements are correct? (Choose two.)

- A. An EJB 3.0 message-driven bean can itself be the client of another message-driven bean.
- B. The client of an EJB 3.0 message-driven bean can use the bean's remote business interface to communicate with the bean.
- C. Every client of an EJB 3.0 JMS message-driven bean must be a Java application that uses the JMS API to communicate with the bean.
- D. Messages sent to JMS topics are intended for only one receiver whereas messages sent to JMS queues are intended for multiple receivers.
- E. If the client of an EJB 3.0 message-driven bean awaits a reply to its request, the client can set the JMSReplyTo attribute to provide routing information to the bean.

Correct Answer: AE

QUESTION 5

Which two are programming restrictions in the EJB 3.0 specification? (Choose two.)



- A. An enterprisebean must NOTattempttoloadanative library.
- B. An enterprise bean must NOT declare static fieldsasfinal.
- C. An enterprisebeanmust NOTattemptto createa newsecurity manager.
- D. An enterprise bean mustNOTpropagate a RuntimeExceptionintothe container.
- E. An enterprise bean must NOTattemptto obtain ajavax.naming. InitialC ontext.

Correct Answer: AC

[Latest 1Z0-860 Dumps](#)

[1Z0-860 VCE Dumps](#)

[1Z0-860 Exam Questions](#)