



# 1Z0-860<sup>Q&As</sup>

Java Enterprise Edition 5 Business Component Developer Certified  
Professional Exam

## Pass Oracle 1Z0-860 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-860.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

A session bean's business method throws an exception during execution. Which two are responsibilities of the Bean Provider when throwing the exception? (Choose two.)

- A. For application exceptions, ensure that if the current transaction commits there will be no loss of data integrity.
- B. For application exceptions, ensure that the current transaction will commit.
- C. For system errors, when the client is remote, throw a `java.rmi.RemoteException` that wraps the original exception.
- D. For checked exceptions from which the bean cannot recover, throw an `EJBException` that wraps the original exception.

Correct Answer: AD

---

### QUESTION 2

FooBean and BarBean are both EJB 3.0 stateless session beans with container-managed transaction demarcation. All business methods in FooBean have transaction attribute `REQUIRED`, and all business methods in BarBean have transaction attribute `REQUIRES_NEW`. The business method `foo` in FooBean invokes the business method `bar` in BarBean.

Given:

10.

```
public class BarBean {
```

11.

```
    public void bar() {
```

12.

```
        throw new RuntimeException("unexpected error..."); 13.}
```

Which is true about the result of this method invocation assuming execution reaches Line 12?

- A. FooBean.foo method receives `javax.ejb.EJBException`.
- B. The BarBean bean instance is in ready state for the next invocation.
- C. FooBean.foo method receives `javax.ejb.EJBTransactionRolledbackException`.
- D. FooBean.foo method receives the original `RuntimeException` thrown from BarBean.bar method.

Correct Answer: A

---



---

### QUESTION 3

A developer is writing a stateless session bean that is obtaining a transaction-scoped entity manager using injection and assumes the application defines one persistence unit. Which declaration is correct?

- A. `@ResourceEntityManager em;`
- B. `@PersistenceUnit EntityManager em;`
- C. `@PersistenceContext EntityManager em;`
- D. `@PersistenceUnit("TransactionScoped") EntityManager em;`

Correct Answer: C

---

### QUESTION 4

Which two are true about EJB 3.0 exception classes? (Choose two.)

- A. The `javax.ejb.NoSuchEJBException` is an application exception.
- B. The `javax.ejb.EJBException` extends `Java.lang.RuntimeException`.
- C. The `javax.ejb.EJBTransactionRequiredException` is an application exception.
- D. An application exception must NOT be a subclass of `Java.rmi.RemoteException`.
- E. The `javax.ejb.EJBTransactionRolledbackException` is an application exception.
- F. Any subclass of `Java.lang.RuntimeException` is always considered a system exception.

Correct Answer: BD

---

### QUESTION 5

Which statement is true about the Timer service in an EJB 3.0 stateless session bean?

- A. The timeout callback method contains the business logic that handles the timeout event.
- B. The timeout callback method must be declared as a business method in business interfaces.
- C. The timeout callback method can throw application exceptions to report business logic failures.
- D. A bean class can implement multiple timeout callback methods, each associated with a different timer.

Correct Answer: A



VCE & PDF

GeekCert.com

<https://www.geekcert.com/1z0-860.html>

2024 Latest geekcert 1Z0-860 PDF and VCE dumps Download

---

[Latest 1Z0-860 Dumps](#)

[1Z0-860 VCE Dumps](#)

[1Z0-860 Braindumps](#)