



# 1Z0-882<sup>Q&As</sup>

MySQL 5.6 Developer

## Pass Oracle 1Z0-882 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-882.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Consider the structures of the country and countrylanguage tables.

mysql >DESCRIBE country;

Field	Type	Null	Key	Default	Extra
Code	char (3)	NO	PRI		
Name	char (52)	NO			
Continent	char (32)	YES			
GNP	float (10,2)	YES		NULL	NULL

mysql> DESCRIBE countrylanguage;

Field	Type	Null	Key	Default	Extra
CountryCode	char (3)	NO	PRI	NULL	
Language	char (30)	NO	PRI	NULL	

Which query will give you the list of all European countries where German is spoken?

- A. SELECT Code AS c, Name FROM Country WHERE Continent = `Europe` AND EXISTS ( SELECT \* FROM CountryLanguage WHERE CountryCode = Code And Language= `German` )
- B. SELECT Code AS c, Name FROM Country WHERE Continent = `Europe` AND Name IN ( SELECT \* FROM CountryLanguage WHERE CountryCode = Code AND Language =`German` )
- C. SELECT Code AS c, Name FROM Country WHERE Continent = `Europe` AND EXIST ANY ( SELECT Language, CountryCode FROM CountryLanguage WHERE CountryCode =Code AND Language = `German` )
- D. SELECT Code AS c, Name FROM Country WHERE Continent = `Europe` AND ( SELECT \* FROM CountryLanguage WHERE CountryCode =Code AND Language =`German` )

Correct Answer: C

### QUESTION 2

Inspect the SELECT query:

mysql> EXPLAIN SELECT employees. Emp\_no, first\_name, last\_name FROM employees JOIN title WHERE to\_date > `2008-10-11`;



```
id | select_type | table      | type | possible_keys | key | key_len | ref | rows
Extra
1 | SIMPLE      | employees | ALL  | NULL          | NULL | NULL    | NULL | 299575
NULL
1 | SIMPLE      | titles    | ALL  | NULL          | NULL | NULL    | NULL | 442004
Using where; Using join buffer (Block Nested Loop)
```

2 rows in set (0.00 sec) Which action will optimize the query?

- A. Add an index to the employees. emp\_no column.
- B. Add the keyword STRAIGHT\_JOIN.
- C. Add an index on the to\_date column.
- D. Add the FORCE INDEX (PRIMARY) optimizer hint for the employees table.

Correct Answer: C

### QUESTION 3

Assume your connection uses SQL mode ANSI\_QUOTES. Which two statements cause a syntax error?

- A. CREATE TABLE FRIENDS (NAME CHAR (10))
- B. CREATE TABLE BINARY (PRIMARY SMALLINT)
- C. CREATE TABLE `TABLE` (COLUMN` INTEGER)
- D. CREATE TABLE "CONDITION" ("DESCRIBE" TEXT)
- E. CREATE TABLE INTERVAL (ELAPSED\_TIME TIME)

Correct Answer: AB

### QUESTION 4

Which two PHP modules provide APIs for developing MYSQL applications?

- A. Mysqli
- B. Mysqlnd
- C. PDO
- D. PDO\_mysql

Correct Answer: AC



### QUESTION 5

A table country exists with a column Name. A user variable @ limitcount contains the value 20. Which two statements are valid uses of the LIMIT clause?

- A. SELECT Name FROM country LIMIT 100-50
- B. SELECT Name FROM country LIMIT 100,50
- C. SELECT Name FROM country LIMIT 35
- D. SELECT Name FROM country LIMIT @limitcount
- E. SELECT Name FROM country LIMIT RAND ()

Correct Answer: BC

[1Z0-882 PDF Dumps](#)

[1Z0-882 VCE Dumps](#)

[1Z0-882 Exam Questions](#)