1Z0-882^{Q&As}

MySQL 5.6 Developer

Pass Oracle 1Z0-882 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/1z0-882.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

365 Days Free Update

800,000+ Satisfied Customers

QUESTION 1

Given the table City: SELECT Name FROM City WHERE CountryCode = `USA" OR WHERE CountryCode= `JPN\\'

What does this statement procedure?

A. A single result set with one column that contains the names of cities from country codes USA and JPN.

B. Two result sets each containing a single column with the names of cities from country codes USA and JPN.

C. A single result set with two columns containing the names from country codes USA and JPN.

D. No result set is returned and an error message is given.

Correct Answer: A

QUESTION 2

You want to load data directly from a file into MYSQL by using the SOURCE command. Which types of data can the file contains to perform this?

A. SQL commands

B. Comma-delimited data

C. Tab-delimited data

D. MyISAM or InnoDB data files

Correct Answer: B

QUESTION 3

Consider the stored procedure

CREATE PROCEDURE param_test (

IN P_in INT,

OUT P_out INT,

INPUT P_inout INT)

BEGIN

SELECT P_in, P_out, P_ inout;

SET P_in, P_inout

END

You execute a series of commands:

```
mysql> SET @v_in = 0, @v_out = 0, @v_inout = 0;
mysql> CALL param_test(@v_in, @v_out, @v_inout);
mysql> SELECT @v_in, @v_out, @v_inout;
```

What is the output of the CALL and SELECT?

A. (0,0,0) and (0,0,0)

B. (0,0,0,) and (0,200,300)

C. (0,NULL,0) and(0,200,300)

D. (0,NULL,0) and (100,200,300)

Correct Answer: A

QUESTION 4

A statement exists that can duplicate the definition of the `world\'table.

What is missing?

CREATE TABLE t1 _____world

A. FROM

B. USING

C. COPY

D. LIKE

Correct Answer: A

QUESTION 5

You want to use the SHA -256 Authentication plugin with Connector/J. Which two parameter settings achieve this?

A. Authenticationplugins=com.mysql.jdbl.jdbc.authentication.sha256passwordplugin,com.mysql.jd bc

B. Authenticationplugins=com,mysql,authentication,mysqlNativepasswordplugin

C. defaultAuthenticationplugin=com.mysql.jdbc.authentication.sha256passwordplugin

D. defaultAuthenticationplugin=com.mysql.jdbc.authentication.MysqlNativepasswordplugin

Correct Answer: A