



1Z0-883^{Q&As}

MySQL 5.6 Database Administrator

Pass Oracle 1Z0-883 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-883.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two are true regarding MySQL binary and text backups?

- A. Binary backups are usually faster than text backups.
- B. Binary backups are usually slower than text backups.
- C. Text backups are human-readable while binary backups are not.
- D. Binary backups are not portable across different operating systems.

Correct Answer: CD

QUESTION 2

ROW-based replication has stopped working. You investigate the error log file and find the following entries:

```
2013-08-27 14:15:47 9056 [ERROR] Slave SQL: Could not execute Delete_rows event on table test.t1; Can't find record in `t1`, Error_code: 1032; handler error HA_ERR_KEY_NOT_FOUND; the event's master log 56_master-bin.000003, end_log_pos 851, Error_code: 1032 2013-08-27 14:15:47 9056 [warning] Slave: Can't find record in `t1` Error_code: 1032 2013-08-27 14:15:47 9056 [ERROR] Error running query, slave SQL thread aborted. Fix the problem, and restart the slave SQL thread with "SLAVE START". We stopped at log `56_master- bin. 000003` position 684
```

Why did you receive this error?

- A. The slave SQL thread does not have DELETE privileges to execute on test.t1 table.s
- B. The table definition on the slave -litters from the master.
- C. Multi-threaded replication slaves can have temporary errors occurring for cross database updates.
- D. The slave SQL thread attempted to remove a row from the test.t1 table, but the row did not exist.

Correct Answer: D

QUESTION 3

An employee cannot access the company database. You check the connection variables: `Mysql> SHOW GLOBAL VARIABLES LIKE '%connect%'`;



Variable_name	Value
...	
Connect_timeout	10
Init_connect	
Max_connect_errors	10
Max_connections	10
Max_user_connections	10

8 rows in set (0.00 sec)

A look at the user privileges shows:

```
GRANT... TO `bob`@\%, example.com\` WITH MAX_USER_CONNECTIONS 0; GRANT... TO `key`@\%, example.com\` WITH MAX_USER_CONNECTIONS 1; GRANT... TO `joe`@\%, example.com\` WITH MAX_USER_CONNECTIONS 50;
```

What is a valid explanation for why one of the users is unable to connect to the database?

- A. Bob has max_user_connections set to zero, which blocks all his connections
- B. Joe has exceeded the max_user_connections global limit.
- C. All users are blocked because max_user_connections is accumulated over the host account information.
- D. Kay is already connected elsewhere and attempting to log in again.
- E. Connect_timeout is too small to allow a connection to occur.

Correct Answer: A

QUESTION 4

Following a server crash, the automatic recovery of InnoDB fails.

How would you begin to manually repair the InnoDB tables?

- A. Start the server with the innodb_force_recovery option set to a non-zero value.
- B. Start the server as usual, and then execute the REPAIR TABLE command.
- C. Start the server as usual, and then execute the CHECK TABLE command.
- D. Start the server with the innodb_recover_options option set to FORCE.

Correct Answer: A

QUESTION 5

Which statement is true about using Microsoft Windows Cluster as a platform for MySQL?



- A. It is provided by means of IP- level disk replication.
- B. It is shared-nothing architecture.
- C. It implements High Availability by using the .NET Connector's load balancing capabilities.
- D. It relies on the shared disk architecture being visible to both servers.

Correct Answer: D

[Latest 1Z0-883 Dumps](#)

[1Z0-883 PDF Dumps](#)

[1Z0-883 VCE Dumps](#)