



1Z0-883^{Q&As}

MySQL 5.6 Database Administrator

Pass Oracle 1Z0-883 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-883.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A MySQL replication slave is set up as follows: User all InnoDB tables Receives ROW-based binary logs Has the read-only option

The replication slave has been found in an error state.

You check the MySQL error log file and find the following entries:

```
2013-08-27 13:55:44 9056 [ERROR] Slave SQL: Could not execute Write_rows event on table test.tl; Duplicate entry `3` for key `PRIMARY` , Error_code: 1062; handler error HA_ERR_FOUND_DUPP_KEY; the event's master log 56_master-bin.000003, end_log_pos 653, Error_code: 1062 2013-08-27 13:55:44 9056 [Warning] Slave: Duplicate entry `3` for key `PRIMARY` Error_code: 1062 2013-08-27 13:55:44 9056 [ERROR] Error running query, slave SQL thread aborted. Fix the problem, and restart the slave SQL thread with "SLAVE START", We stopped at log `56_master-bin.000003` position
```

What are two possible causes for this error to occur?

- A. The slave was created with `mysqldump u root p skip-lock-table--all-databases > /data/data.sql`
- B. The slave user does have INSERT, UPDATE, or DELETE permission and cannot execute the `write_rows` function.
- C. For tables with UNIQUE keys, statement-based replication must be used maintain integrity.
- D. The root user on the slave has executed FLUSH LOGS, causing the relay-log to doublewrite.
- E. The applications have the SUPER privilege, which allows them to update rows.

Correct Answer: AE

QUESTION 2

Consider the Mysql Enterprise Audit plugin.

A CSV file called data.csv has 100 rows of data.

The stored procedure `prepare_db ()` has 10 auditable statements.

You run the following statements in the mydb database:

```
Mysql> CALL prepare_db ( );
```

```
Mysql> LOAD DATA INFILE `/tmp/data.csv` INTO TABLE mytable; Mysql> SHOW TABLES; How many events are added to the audit log as a result of the preceding statements?
```

- A. 102; top-level statements are logged, but LOAD DATA INFILE is logged as a separate event.
- B. 3; only the top-level statements are logged.
- C. 111; top-level statements and all lower-level statements are logged.
- D. 12; only top-level statements and stored procedure events are logged.



Correct Answer: B

QUESTION 3

Which three statements are true about memory buffer allocation by a MySQL Server?

- A. Global buffers such as the InnoDB buffer pool are allocated after the server starts, and are never freed.
- B. Thread buffers are allocated when a client connects, and are freed when the client disconnects.
- C. Buffers that are needed for certain operation are allocated when the operation starts, and freed when it ends.
- D. User buffers are allocated at server startup and freed when the user is dropped.
- E. All dynamic buffers that are set with a SET GLOBAL statement immediately get allocated globally, and are never freed.

Correct Answer: ABC

QUESTION 4

In a test database, you issue the SELECT ... INTO OUTFILE statement to create a file with your t1 table data.

You then TRUNCATE this table to empty it.

```
Mysql> SELECT * INTO OUTFILE `/tmp/t1.sql` from t1; mysql> TRUNCATE t1;
```

Which two methods will restore data to the t1 table?

- A. Mysql> LOAD DATA INFILE `/tmp/t1.sql` INTO TABLE t1;
- B. \$ mysqladmin u root p h localhost test restore /tmp/t1.sql
- C. \$ mysql u root p h localhost test
- D. \$ mysqlimport u root p h localhost test /tmp/t1.sql
- E. Mysql> INSERT INTO t1 VALUES FROM `/tmp/t1.sql`;

Correct Answer: AD

QUESTION 5

You attempt to connect to a Mysql Server by using the mysql program. However, you receive the following notice:

ERROR 2059 (HY000): Authentication plugin `mysql_clear_password` cannot be loaded: plugin not enabled

What would you run to fix the issue?



- A. The mysql client with the ignore-password-hashing option
- B. The mysql_secure_installation script to update server security settings
- C. The mysql client with the enable-cleartext-plugin option
- D. The mysql_upgrade script
- E. The install plugin command for the mysql_cleartext_password plugin

Correct Answer: C

[Latest 1Z0-883 Dumps](#)

[1Z0-883 VCE Dumps](#)

[1Z0-883 Practice Test](#)