



# 1Z0-883<sup>Q&As</sup>

MySQL 5.6 Database Administrator

**Pass Oracle 1Z0-883 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-883.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

An employee cannot access the company database. You check the connection variables: `Mysql> SHOW GLOBAL VARIABLES LIKE `connect%``;

Variable_name	Value
...	
Connect_timeout	10
Init_connect	
Max_connect_errors	10
Max_connections	10
Max_user_connections	10

8 rows in set (0.00 sec)

A look at the user privileges shows:

```
GRANT... TO `bob`@`%`, example.com WITH MAX_USER_CONNECTIONS 0; GRANT... TO `key`@`%`, example.com WITH MAX_USER_CONNECTIONS 1; GRANT... TO `joe`@`%`, example.com WITH MAX_USER_CONNECTIONS 50;
```

What is a valid explanation for why one of the users is unable to connect to the database?

- A. Bob has `max_user_connections` set to zero, which blocks all his connections
- B. Joe has exceeded the `max_user_connections` global limit.
- C. All users are blocked because `max_user_connections` is accumulated over the host account information.
- D. Kay is already connected elsewhere and attempting to log in again.
- E. `Connect_timeout` is too small to allow a connection to occur.

Correct Answer: A

### QUESTION 2

While reviewing the MySQL error log, you see occasions where MySQL has exceeded the number of file handles allowed to it by the operating system.

Which method will reduce the number of file handles in use?

- A. Disconnecting idle localhost client sessions
- B. Implementing storage engine data compression options
- C. Relocating your data and log files to separate storage devices
- D. Activating the MySQL Enterprise thread pool plugin



Correct Answer: A

---

### QUESTION 3

You use `--login-path` to access a MySQL server on a Linux installation.

Which statement is true about the `login-path` option that is created by using `mysql_config_editor`?

- A. All system users have access to the MySQL server via `--login-path` local.
- B. `__login-path` can be used only for MySQL servers running on a local machine.
- C. `__login-path` allows you to provide login credentials without passing clear text passwords on the command line.
- D. When using `login-path` to connect to a remote MySQL server, the remote server version must be 5.6 or later.

Correct Answer: D

---

### QUESTION 4

Which two are correct steps in taking a binary backup of MyISAM tables?

- A. Always stop the server prior to the backup.
- B. Stop the server or lock the tables prior to the backup.
- C. Stop the server or lock the databases prior to the backup.
- D. Make a copy of the `.frm`, `.myd`, and the `.myi` files.
- E. Make a copy of the binary log and tablespace files.

Correct Answer: BD

---

### QUESTION 5

Which statement is true about the `log-output` variable?

- A. It is a static variable and can be set only at MySQL server startup.
- B. It enables and starts the General Query Log.
- C. It sets the target location for the binary logs generated by the MySQL sever.
- D. It specifies output destinations for the slow and General Query logs.

Correct Answer: D

---