



1Z0-888^{Q&As}

MySQL 5.7 Database Administrator

Pass Oracle 1Z0-888 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-888.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

After analysis on the slow query log on a high-end OLTP service, the table identified in the slow queries is: What are the two most likely reasons for the slowness given this output? (Choose two.)

```
CREATE TABLE transactions (  
    User VARCHAR(255) NOT NULL,  
    Amount DECIMAL(16,2) NOT NULL,  
    Date DATETIME NOT NULL DEFAULT CURRENT_TIMESTAMP()  
) ENGINE=MyISAM;
```

- A. Date should be a TIMESTAMP field for better performance.
- B. The User field is too long for most names.
- C. The engine type is not appropriate to the application use.
- D. Using default values for DATETIME causes table scans.
- E. No indexes are defined.

Correct Answer: CE

QUESTION 2

Which MySQL utility program should you use to process and sort the Slow Query Log based on query time or average query time?

- A. mysqldumpslow
- B. mysqldump
- C. mysqlaccess
- D. mysqlshow
- E. mysqlslow

Correct Answer: A

QUESTION 3

You want to dump only data from the userdata table.

Which mysqldump command argument is required to accomplish this?



- A. - -no-create-info to skip writing CREATE TABLE statements
- B. - -single-transaction as this obtains a consistent view of data only
- C. - -data-only as this specifies that only data is to be dumped
- D. - -table=userdata in order to dump only the data from the userdata table

Correct Answer: B

QUESTION 4

You attempt to connect to a MySQL Server by using the mysql client program. However, you receive this notice:

```
ERROR 2059 (HY000): Authentication plugin 'mysql_clear_password' cannot be loaded: plugin not enabled
```

What would you run to fix the issue?

- A. the mysql_upgrade script
- B. the mysql client with the --ignore-password-hashing option
- C. the mysql_secure_installation script to update server security settings
- D. the mysql client with the --enable-cleartext-plugin option
- E. the install plugin command for the mysql_clearpassword plugin

Correct Answer: C

Reference: <http://planet.mysql.com/entry/?id=34077>

QUESTION 5

There are multiple instances of MySQL Server running on a single OS that is backed up using the mysqlbackup command.

The /etc/my.cnf contains default values, for example, datadir=/var/lib/mysql/, with extra instances having their own separate my.cnf file (for example /etc/mysql/instanceN.cnf) overriding the defaults.

A restore of the second instance is attempted from the mysqlbackup archive using this command:

```
mysqlbackup --backup-dir=/opt/backup/mysql/instance2 copy-back
```

Upon starting the second MySQL instance, you notice that the data does not match the expected backup.

Which command-line option is required to successfully update the second instance?

- A. --restore=2



B. --copy-back-from-log

C. --backup-instance=/var/lib/mysql/instance2

D. --instance=/var/lib/mysql/instance2

E. --defaults-file=/etc/mysql/instance2.cnf

Correct Answer: E

[1Z0-888 VCE Dumps](#)

[1Z0-888 Exam Questions](#)

[1Z0-888 Braindumps](#)