



1Z0-888^{Q&As}

MySQL 5.7 Database Administrator

Pass Oracle 1Z0-888 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-888.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You are investigating the performance of the server and see this information:

events_waits_summary_global_by_event_name in the Performance Schema shows that the wait/synch/mutex/sql/LOCK_table_cache event is dominating other wait events.

The Table_open_cache_overflows status variable is 0.

Which action should be taken to remove the performance bottleneck described here?

- A. Increase the value of table_open_cache_instances.
- B. Decrease the value of table_definition_cache.
- C. Decrease the value of table_open_cache.
- D. Increase the value of table_definition_cache.
- E. Increase the value of table_open_cache.
- F. Decrease the value of table_open_cache instances.

Correct Answer: A

QUESTION 2

A general purpose MySQL instance is configured with the following options:

```
--slow-query-log --long-query-time=.0001 --log-queries-not-using-indexes --log-slow-admin-queries --general-log --log-bin --binlog-format=STATEMENT --innodb-flush-log-at-trx-commit=1
```

Which three statements are true for most workloads? (Choose three.)

- A. The Slow Query Log records more data than the General Query Log.
- B. The General Query Log records more data than the Slow Query Log.
- C. The Slow Query Log records more data than the Binary Log.
- D. The Binary Log records more data than the General Query Log.
- E. The Binary Log records more data than the Slow Query Log.
- F. The General Query Log records more data than the Binary Log.

Correct Answer: BCF



QUESTION 3

You have just executed a manual backup by using this command:

```
mysqlbackup -u root -p --socket=/tmp/my.sock --backup-dir=/my/backup/ backup
```

The operation completed without error.

What is the state of this backup and operation required before it is ready to be restored?

- A. Backup State = Compressed Backup Operation = copy-back
- B. Backup State = Raw Backup Operation = apply-log
- C. Backup State = Prepared Backup Operation = validate
- D. Backup State = Prepared Backup Operation = apply-log
- E. Backup State = Raw Backup Operation = backupdir-to-image

Correct Answer: E

QUESTION 4

Given these table definitions and the explain plan: Which ALTER TABLE statement will improve the performance of the query?



```
CREATE TABLE `Country` (
  `Code` char(3) NOT NULL DEFAULT '',
  `Name` char(52) NOT NULL DEFAULT '',
  ...
  PRIMARY KEY (`Code`)
);

CREATE TABLE `CountryLanguage` (
  `CountryLanguage_id` int(10) unsigned NOT NULL AUTO_INCREMENT,
  `CountryCode` varchar(5) NOT NULL DEFAULT '',
  `Language` char(30) NOT NULL DEFAULT '',
  `IsOfficial` enum('T','F') NOT NULL DEFAULT 'F',
  ...
  PRIMARY KEY (`CountryLanguage_id`)
);
```

```
mysql> EXPLAIN SELECT c.Name
FROM Country c
INNER JOIN CountryLanguage cl ON c.Code = cl.CountryCode
WHERE cl.Language = 'ENGLISH'
ORDER BY IsOfficial ;
```

id	select_type	table	partitions	type	possible_keys	key	key_len
ref		rows	filtered	Extra			
1	SIMPLE	cl	NULL	ALL	PRIMARY	NULL	NULL
NULL		984	10.00	Using where; Using filesort			
1	SIMPLE	c	NULL	eq_ref	PRIMARY	PRIMARY	3
world.cl.CountryCode		1	100.00	NULL			

- A. ALTER TABLE `CountryLanguage` ADD INDEX `idx_Lang` (`Language`);
- B. ALTER TABLE `Country` ADD INDEX `idx_Code` (`Code`);
- C. ALTER TABLE `CountryLanguage` ADD INDEX `idx_OffLang` (`IsOfficial`, `Language`);
- D. ALTER TABLE `Country` ADD INDEX `idx_NameCont` (`Name`, `CountryCode`);

Correct Answer: B

QUESTION 5

You have installed MySQL on Oracle Linux 7 using the official RPM distribution, and SELinux is set to "permissive".

Examine this extract of the my.cnf file:



```
[mysql]  
port=3301
```

```
[mysqld]  
port=3302
```

```
[mysqld@replica]  
port=3303
```

```
[replica]  
port=3304
```

You issue this command to start MySQL Server:

```
systemctl start mysqld@replica
```

On which port is the server listening?

- A. 3301
- B. 3303
- C. 3302
- D. 3304

Correct Answer: A

[Latest 1Z0-888 Dumps](#)

[1Z0-888 PDF Dumps](#)

[1Z0-888 Exam Questions](#)