

# 1Z0-900<sup>Q&As</sup>

Java EE 7 Application Developer

# Pass Oracle 1Z0-900 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/1z0-900.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Oracle Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





### **QUESTION 1**

Which action invokes supply chain orchestration and transfer of data to supply chain orchestration Interface tables?

- A. creating Purchase Order Receipt
- B. running a scheduled process called "Create Transactions"
- C. running Min-Max Planning
- D. creating a new Inventory Organization for execution of supply chain orchestration

Correct Answer: C

### **QUESTION 2**

Given the code sample:

)

```
And: And:
```

)

```
@Alternative
public class SmsHandler implements GenericMessenger (
public void handleMessage(Message msg) { }
)
```

And the next fragment from beans.xml:

```
<alternatives>
<class>com.acme.SmsHandler</class>
</alternatives>
```

And this injection point:

@Inject GenericMessenger messageHandler;

Which type would be injected at run time and referenced by the messageHandler variable?



- A. SmsHandler
- B. MsgHandler
- C. None of the above. An exception would be thrown due to ambiguous bean references.
- D. GenericMessenger

```
Correct Answer: D
```

## **QUESTION 3**

Given the following code:

What should you do at line 1 to enable this servlet receive request data without blocking?

A. Use a Runnable instance with the start () method of AsyncContext.

B. Define a ReadListener and assign it to the request input stream.

C. Create a Callable class and delegate this operation to a ManagedExecutorService by using the dispatch method of AsyncContext.

D. Define an AsyncListener and assign it to the AsyncContext object.

Correct Answer: D

#### **QUESTION 4**

Given:



// line 1 public class Mymapper { @PrePassivate public void setPinDrop() {} @PostActivate public void checkLocation() {}

}

What code needs to be added to line 1 for MyMapper bean instances to be correctly passivated?

- A. @Stateless @PassivationCapable
- B. @Stateless
- C. @Stateful @PassivationCapable
- D. @Stateful

Correct Answer: D

Reference: https://docs.oracle.com/javaee/6/tutorial/doc/giplj.html#gipln

#### **QUESTION 5**

Which statement is false about generating an Internal Material Transfer for expense destination Transfer Order?

A. Expense destination transfers are expensed upon delivery hitting an expense account instead of an inventory asset account as would be the case for inventory destination transfers.

B. If the receipt is not required Cost Accounting will pick up both the issue and receipt activity from the single inventory transaction "Transfer Order Issue"

C. If the receipt is required, the accounting of the receipt delivery transaction will happen only on Receipt Accounting because there will not be a delivery transaction in inventory.

D. Costs for Lot and serial numbers are tracked at put away time when the items are recorded in a destination inventory location.

E. Cost Management will pick up the delivery transaction directly from Receiving and process the expense accounting from that transaction.

Correct Answer: D

Latest 1Z0-900 Dumps

1Z0-900 Exam Questions

1Z0-900 Braindumps