



1Z0-900^{Q&As}

Java EE 7 Application Developer

Pass Oracle 1Z0-900 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-900.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which three statements are true for an expense destination transfers that does NOT require a receipt at destination inventory organization?

- A. There is no cost associated to the transaction.
- B. There is no put away transaction in Inventory since the item is expensed.
- C. A receipt is required on interorganization expense destination transfer orders between the from and to organizations.
- D. The transfer order is considered received and delivered at the time of shipment.
- E. The destination inventory is not incremented.

Correct Answer: ABE

QUESTION 2

Your customer has a requirement across their 10 warehouses, each with different users. They would like that whenever a warehouse user logs in, their warehouse should get populated.

How will you achieve this?

- A. Set up the profile option INV_DEFAULT_WHSE_ID at site level.
- B. Set up the profile option INV_DEFAULT_WHSE_ID at user level for each user.
- C. Set up the profile option INV_DEFAULT_WHSE_ID at role level (different roles for different warehouses).
- D. Set up the profile option INV_DEFAULT_ORG_ID at user level for each user.
- E. Set up the profile option INV_DEFAULT_ORG_ID at role level (different roles for different warehouses).
- F. Set up the profile option INV_DEFAULT_ORG_ID at site level.

Correct Answer: E

QUESTION 3

Which code snippet prints the exception error message as part of the page output?

- A.
- B.
- C.
- D.

Correct Answer: D



Reference: <https://www.geeksforgeeks.org/3-different-ways-print-exception-messages-java/>

QUESTION 4

How do you specify a default error page in your web.xml file?

- A. /general-error.html
- B. * /general-error.html
- C. * /general-error.html
- D. /general-error.html

Correct Answer: B

Reference: <http://www.codejava.net/java-ee/servlet/how-to-handle-error-in-web-xml-for-java-webapplications>

QUESTION 5

Given the code sample:

```
public interface GenericMessenger (  
    public void handleMessage(Message msg) { }  
)
```

And: And:

```
@Default  
public class MsgHandler implements GenericMessenger (  
    public void handleMessage(Message msg) { }  
)
```

```
@Alternative  
public class SmsHandler implements GenericMessenger (  
    public void handleMessage(Message msg) { }  
)
```

And the next fragment from beans.xml:

```
<alternatives>  
    <class>com.acme.SmsHandler</class>  
</alternatives>
```

And this injection point:



@Inject GenericMessenger messageHandler;

Which type would be injected at run time and referenced by the messageHandler variable?

- A. SmsHandler
- B. MsgHandler
- C. None of the above. An exception would be thrown due to ambiguous bean references.
- D. GenericMessenger

Correct Answer: D

[1Z0-900 Study Guide](#)

[1Z0-900 Exam Questions](#)

[1Z0-900 Braindumps](#)