1Z0-920^{Q&As}

MySQL 2019 Implementation Essentials

Pass Oracle 1Z0-920 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/1z0-920.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Which two statements are true about MySQL Enterprise Authentication?

A. MySQL Enterprise Authentication makes it more difficult to set up security because you have different sets of security policies.

B. MySQL Enterprise Authentication determines what operation the user can perform.

C. MySQL Enterprise Authentication supports Linux Pluggable Authentication Modules (PAM).

D. MySQL Enterprise Authentication supports Windows Active Directory.

E. MySQL Enterprise Edition automatically connects to Oracle Password Vault to verify user passwords..

Correct Answer: CD

QUESTION 2

You have a MySQL Server instance (running with Port# 3306) monitored by the Service Manager in MySQL Enterprise Monitor. You cloned the MySQL Database instance and configured it to be a replicated MySQL instance as Slave using Port# 3316 on the same machine as the Master Server. The replication configuration is working correctly. The Master and Slave Servers are running. You are trying to add the newly created MySQL Slave instance to the Monitor. The Service Manager in MySQL Enterprise Monitor notifies you that the new instance is successfully added; however, it is not added correctly at the newly added configuration points to the old Master monitored items. The Monitor shows only one monitored MySQL instance for Master and Slave. Which two are possible reasons for this problem?

A. The SLAVE and MASTER instances are started with the same configured value for the option - monitor_server_uuid.

B. The MASTER and SLAVE are grouped as one instance for monitoring.

C. The mysql.inventory table on SLAVE is cloned with the same content as MASTER, which has the same server UUID.

D. The mysql.instance table on SLAVE is cloned with the same content as MASTER, which has the same server UUID.

E. All the MySQL instances (Master and Slave) have the same server_uuid in /auto.cnf.

Correct Answer: BD

QUESTION 3

Which two statements about the download of MySQL Enterprise Backup are correct?

A. MySQL Enterprise Backup can be downloaded from My Oracle Support (MOS).

B. MySQL Enterprise Backup comes with MySQL Utilities Package, which is available for download publicly on http://www.mysql.com.

C. MySQL Enterprise Backup is a separate package from MySQL Enterprise Edition. It can be downloaded from https://edelivery.oracle.com.

D. MySQL Enterprise Backup comes with all MySQL editions including community edition.

E. MySQL Enterprise Backup comes with MySQL Connector and is freely available for download.

Correct Answer: CD

QUESTION 4

Which MySQL Enterprise Edition plug-in replaces real values with substitutes?

A. MySQL Enterprise Audit

B. MySQL Enterprise Scalability

C. MySQL Enterprise No-Login Authentication

D. MySQL Enterprise Transparent Data Encryption (TDE)

E. MySQL Enterprise Data Masking and De-identification

Correct Answer: E

New! MySQL Enterprise Masking and De-identification MySQL Enterprise Masking and De-identification provides an easy to use, built-in database solution to help organizations protect sensitive data from unauthorized uses by hiding and replacing real values with substitutes.
https://www.mysql.com/products/enterprise/#:~:text=New!andtext=MySQL%20Enterprise%20Maskin g%20and%20De%2Didentification%20provides%20an%20easy%20to,replacing%20real%20values%2 0with%20substitutes.

QUESTION 5

MySQL is installed on a Linux server with the configuration:

```
[mysqld]
User=mysql
Datadir=/data/mysql
```

Which two methods can change the default options to use the authentication plug-in that implements SHA256 hashing for user account passwords?

A. Create user by using CREATE USER `newuser\\' @\\'localhost\\' SET PASSWORD AS `Sh@256Pa33\\';

B. Add --default_authentication_plugin=sha256_password on the command line when you invoke the server.

C. Add default_authentication_plugin=sha256_password under [mysqld] in the configuration file.

D. Create user by using CREATE USER `newuser\\'@\\'localhost\\' IDENTIFIED WITH `Sh@256Pa33\\';

Correct Answer: BD