



1Z0-931-21^{Q&As}

Oracle Autonomous Database Cloud 2020 Specialist

Pass Oracle 1Z0-931-21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-931-21.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

According to Oracle documentation, it is a best practice when planning and instituting Access Controls for your Autonomous Dedicated environment regarding Subnets, Compartments and User Groups.

Which statement is true?

- A. Create a separate VCN that contains only public subnets
- B. Only 1 of each is allowed to be allocated per environment.
- C. Only 1 Subnet and 1 Compartment are allowed, multiple Groups highly advised.
- D. Create at least 2 of each resource

Correct Answer: D

Refer to Best Practices When Planning and Instituting Access Controls section in the <https://docs.oracle.com/en/cloud/paas/autonomous-database/atpfg/plan-and-create-accessconstraints1.html#GUID-ED48C3D3-FC0F-41D5-882A-FC2D916FD6AA> <https://docs.oracle.com/en/cloud/paas/autonomous-database/atpfg/plan-and-create-accessconstraints1.html>

Best Practices When Planning and Instituting Access Controls

When planning and instituting your access controls for the dedicated Infrastructure feature, you should consider these best practices.

- **Create a separate VCN that contains only private subnets.** In almost every case, the Autonomous Databases created on dedicated Infrastructure house data that is company-sensitive and is normally accessible only from within the company's private network. Even the data shared with partners, suppliers, consumers and customers is made available to them through regulated, secure channels.

Therefore, the network access you provide to such databases should be private to your company. You can ensure this by creating a VCN that uses private subnets and an IPSec VPN or FastConnect to connect to your company's private network. For information about setting up such a configuration, see [Scenario B: Private Subnets with a VPN in Oracle Cloud Infrastructure Documentation](#).

For additional information about securing network connectivity to your databases, see [Ways to Secure Your Network in Oracle Cloud Infrastructure Documentation](#).
- **Create at least two subnets.** You should create at least two subnets: one for Autonomous Exadata Infrastructure and Autonomous Container Database resources and one for resources associated with clients and applications of Autonomous Database.
- **Create at least two compartments.** You should create at least two compartments: one for Autonomous Exadata Infrastructure and Autonomous Container Database resources and one for Autonomous Database resources.
- **Create at least two groups.** You should create at least two groups: one for fleet administrators and one for database administrators.



QUESTION 2

Which option is not available to pick (no.of days) when configuring the backup retention for Oracle Container Database.

- A. 120
- B. 60
- C. 15
- D. 7

Correct Answer: A

Backup Retention If you choose to enable automatic backups, you can choose one of the following preset retention periods: 7 days, 15 days, 30 days, 45 days, or 60 days. The system automatically deletes your incremental backups at the end of your chosen retention period.

<https://docs.oracle.com/en-us/iaas/Content/Database/Tasks/backingupOS.htm>

QUESTION 3

Which statement is true when connecting OCI Marketplace image to shared autonomous database?

- A. Compute Image and Shared ADB must be in same VCN and Subnet
- B. ADB must be configured with NSG
- C. ADB must be configured with Private endpoints
- D. Cannot connect OCI Market image to shared ADB

Correct Answer: A

QUESTION 4

Which three security features are available in Oracle Autonomous Database Shared Infrastructure?

- A. Transparent Data Encryption
- B. Database Vault
- C. Customer Managed Keys
- D. Data Redaction
- E. Audit Vault

Correct Answer: ABC



[https://docs.oracle.com/en/cloud/paas/atp-cloud/atpfg/security-features-
adb1.html#GUID-89E3C22ED4EB-472B-8287-41682C2B61B3](https://docs.oracle.com/en/cloud/paas/atp-cloud/atpfg/security-features-adb1.html#GUID-89E3C22ED4EB-472B-8287-41682C2B61B3)

QUESTION 5

When working with an Autonomous Exadata Infrastructure supporting Autonomous Databases, where do you go to view the maintenance history of the Exadata?

- A. Under Core Infrastructure then Compute then Autonomous Exadata
- B. Under Solutions and Platform then Platform Services then Autonomous Exadata
- C. Under Database then Autonomous Transaction Processing then Autonomous Exadata
- D. Under Core Infrastructure then Autonomous Exadata

Correct Answer: C

<https://docs.oracle.com/en-us/iaas/Content/Database/Tasks/adbmanaginginfrastructure.htm#viewmaintenancehistory>
<https://docs.oracle.com/en-us/iaas/Content/Database/Tasks/adbmanaginginfrastructure.htm#viewmaintenancehistory>.

Even though the UI has changed recently, this documentation has the user go to Menu-> Database

[1Z0-931-21 PDF Dumps](#)

[1Z0-931-21 VCE Dumps](#)

[1Z0-931-21 Study Guide](#)