



1Z0-931-21^{Q&As}

Oracle Autonomous Database Cloud 2020 Specialist

Pass Oracle 1Z0-931-21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-931-21.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which statement is true when you provision an Autonomous Database using the cloning method?

- A. After an Autonomous database is created using a clone, the network access option can be changed.
- B. A clone database source can be a running database instance.
- C. A clone database source can be from a point-in-time backup that is less than 2 hours old.
- D. When cloning an Autonomous Database, Oracle Machine Learning workspaces, projects, and notebooks of the source database are cloned to the new database.

Correct Answer: B

QUESTION 2

When enabling auto-scaling, which three options do not change?

- A. Number of OCPUs displayed in the console.
- B. Amount of storage
- C. I/O resources
- D. parallelism settings
- E. Level of concurrency

Correct Answer: BDE

Explanation: <https://docs.oracle.com/en/cloud/paas/autonomous-database/adbsa/autonomous-autoscale.html#GUID-27FAB1C1-B09F-4A7A-9FB9-5CB8110F7141>

Use Auto Scaling

Auto scaling is enabled by default when you create an Autonomous Database instance or you can use **Scale Up/Down** on the Oracle Cloud Infrastructure console to enable or disable auto scaling.

With auto scaling enabled the database can use up to three times more CPU and IO resources than specified by the number of OCPUs currently shown in the **Scale Up/Down** dialog. When auto scaling is enabled, if your workload requires additional CPU and IO resources the database automatically uses the resources without any manual intervention required.

QUESTION 3

Which two cloud services are supported to import data pump files from using Dedicated Exadata Infrastructure? (Choose two.)

- A. Oracle Cloud Infrastructure Object Storage



- B. Google Cloud Storage
- C. Amazon S3
- D. Azure Blob Storage
- E. Oracle Cloud Infrastructure Object Storage Classic

Correct Answer: AE

<https://docs.oracle.com/en/cloud/paas/atp-cloud/atpud/load-data-using-oracle-data-pump.html#GUID025C4566-1BDB-4EF2-BFB7-0CBA8C47EA5D> Data Pump Import lets you import data from Data Pump files residing on the Oracle Cloud Infrastructure

Object Storage and Oracle Cloud Infrastructure Object Storage Classic .

You can save your data to your Cloud Object Store and use Oracle Data Pump to load data to Autonomous Database.

<https://docs.oracle.com/en/cloud/paas/autonomous-database/adbbk/#articletitle>

[https://docs.oracle.com/en/cloud/paas/autonomous-database/adbbk/index.html#ADBBK- GUID-37922C56](https://docs.oracle.com/en/cloud/paas/autonomous-database/adbbk/index.html#ADBBK-GUID-37922C56)

0412-45CD-B10C-2088A000113F

<https://docs.oracle.com/en/cloud/paas/autonomous-database/adbduse-oracle-data-pump.html#GUIDF8897403-2DE2-447E-94DC-768C9ABB05AF> <https://docs.oracle.com/en/cloud/paas/autonomous-database/adbduse-oracle-data-pump.html#GUID>

F8897403-2DE2-447E-94DC-768C9ABB05AF

QUESTION 4

Which set of Oracle Cloud Infrastructure metrics is available only for Autonomous Database on Dedicated Infrastructure?

- A. IOPS, Storage Space Used By Tablespace, Apply and Transport Lag
- B. CPU Utilization, Storage Utilization
- C. Query Latency, User Calls, Execute Count
- D. Transaction Count, Sessions, Running Statements

Correct Answer: B

QUESTION 5

Your customer wants to permanently disable scheduled maintenance on Autonomous Dedicated Infrastructure to keep their current database version(s).

How can they achieve this?

- A. Change the Automatic Maintenance Schedule to 'None'.
 - B. Change the Automatic Maintenance Schedule to 'Specify a Schedule' but do not select any month, week or day.
-



C. You cannot permanently disable scheduled Automatic Maintenance.

D. Change the Automatic Maintenance Schedule to '\\No Preference\\'.

Correct Answer: C

"If the Autonomous Exadata Infrastructure resource doesn't have a customized schedule, its maintenance schedule will be automatically modified so that it precedes the Autonomous Container Database schedule you define."

<https://docs.oracle.com/en/cloud/paas/autonomous-database/atpfg/change-maintenancescheduleacd.html#GUID-CA028A37-5510-473E-B4D0-A5D454B8DA6E>

[1Z0-931-21 PDF Dumps](#)

[1Z0-931-21 Study Guide](#)

[1Z0-931-21 Exam Questions](#)