



# 1Z0-931-22<sup>Q&As</sup>

Oracle Autonomous Database Cloud 2022 Professional

## Pass Oracle 1Z0-931-22 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-931-22.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which statement is FALSE about Oracle Autonomous JSON Database?

- A. JSON data is stored natively in the database
- B. You can promote Autonomous JSON Database to Autonomous Transaction /Processing
- C. It supports NoSQL-style, document-centric application
- D. There is a 20 GB limit on JSON collection

Correct Answer: D

### QUESTION 2

**Manage Runaway SQL Statements on Autonomous Database**

Specifies how you configure Autonomous Database to terminate SQL statements automatically based on their runtime or the amount of IO they are doing.

You can set rules from the service console or using the PL/SQL package `CS_RESOURCE_MANAGER`.

Follow these steps to set rules from the service console:

1. From the Autonomous Database details page, click **Service Console**.
2. On the Service Console click **Administration**.
3. Click **Set Resource Management Rules**.
4. Select the **Run-away criteria** tab to set rules for consumer groups.
5. Select the **Consumer group**.
6. Set runaway criteria values:
  - **Query run time (seconds)**
  - **Amount of IO (MB)**
7. Click **Save Changes**.
8. Click **OK**.

When a SQL statement in the specified consumer runs more than the specified runtime limit or does more IO than the specified amount, then the SQL statement will be terminated.

Click **Load Default Values** to load the default values; then click **Save changes** to apply the populated values.

Which three are Oracle-recommended best practices for Autonomous Database alarms?

- A. Suppress alarms during investigations.
- B. Create multiple alarm metrics.
- C. Create a single alarm for each metric.



- D. Select the correct alarm interval for your metric.
- E. Routinely tune your alarms.
- F. Use a single interval for all alarms.

Correct Answer: ADE

### QUESTION 3

Where can a user's public ssh key be added on the Oracle Cloud Infrastructure Console in order to execute API calls?

- A. On the Autonomous Database Console.
- B. SSH keys are not required in Oracle Cloud Infrastructure.
- C. SSH keys cannot be added from console. They have to be added using REST APIs only.
- D. Navigate to Identity, select Users panel on the console and select "Add Public Key".

Correct Answer: D

-In the Console, click Identity, and then click Users. Locate the user in the list, and then click the user's name to view the details.

-Click Add Public Key.

-Paste the key's value into the window and click Add.

## How to Upload the Public Key

You can upload the PEM public key in the Console, which can be accessed by signing in here: <https://cloud.oracle.com>. If you don't have a login and password for the Console, contact an administrator.

1. Open the Console, and sign in.
2. View the details for the user who will be calling the API with the key pair:
  - If you're signed in as the user:  
Open the Profile menu (👤) and click User Settings.
  - If you're an administrator doing this for another user: Open the navigation menu and click Identity & Security. Under Identity, click Users. Select the user from the list.
3. Click Add Public Key.
4. Paste the contents of the PEM public key in the dialog box and click Add.

### QUESTION 4



Which statement is true when you provision an Autonomous Database using the cloning method?

- A. After an Autonomous database is created using a clone, the network access option can be changed.
- B. A clone database source can be a running database instance.
- C. A clone database source can be from a point-in-time backup that is less than 2 hours old.
- D. When cloning an Autonomous Database, Oracle Machine Learning workspaces, projects, and notebooks of the source database are cloned to the new database.

Correct Answer: B

---

#### QUESTION 5

Which three options are supported when migrating to Autonomous Database (ADB)? (Choose three.)

- A. RMAN Cross-Platform backup and restore
- B. Golden Gate on-premise installation
- C. PDB unplug / plug operation
- D. Datapump export / import
- E. Dataguard Physical Standby
- F. Golden Gate Cloud service

Correct Answer: BDF

[https://k21academy.com/1z0-931/migrate-database-to-oracle-autonomous-database-cloud- optionsdatapump-sql-loader-dbms\\_cloud-goldengate/](https://k21academy.com/1z0-931/migrate-database-to-oracle-autonomous-database-cloud- optionsdatapump-sql-loader-dbms_cloud-goldengate/)

[Latest 1Z0-931-22 Dumps](#)

[1Z0-931-22 PDF Dumps](#)

[1Z0-931-22 Braindumps](#)