



1Z0-932^{Q&As}

Oracle Cloud Infrastructure 2018 Architect Associate

Pass Oracle 1Z0-932 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-932.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You have five different company locations spread across the US. For a proof-of-concept (POC) you need to setup secure and encrypted connectivity to your workloads running in a single virtual cloud network (VCN) in the Oracle Cloud Infrastructure Ashburn region from all company locations.

What would meet this requirement?

- A. Create five internet gateways in your VCN and have separate route table for each internet gateway.
- B. Create five virtual circuits using FastConnect for each company location and terminate those connections on a single dynamic routing gateway (DRG). Attach that DRG to your VCN.
- C. Create five IPsec connections with each company location and terminate those connections on a single DRG. Attach that DRG to your VCN.
- D. Create five IPsec VPN connections with each company location and terminate those connections on five separate DRGs. Attach those DRGs to your VCN.

Correct Answer: C

QUESTION 2

Which two options are available when setting up DNS for your bare metal and virtual machine DB Systems? (Choose two.)

- A. Internet and custom resolver
- B. Google DNS servers
- C. custom resolver
- D. Internet and virtual cloud network (VCN) resolver

Correct Answer: CD

Reference: <https://docs.cloud.oracle.com/iaas/Content/Database/Tasks/launchingDB.htm>

QUESTION 3

Which two configuration formats does Terraform support? (Choose two.)

- A. YAML
- B. JSON
- C. HCL
- D. XML



Correct Answer: BC

Reference: <https://docs.cloud.oracle.com/iaas/Content/API/SDKDocs/terraformconfig.htm>

QUESTION 4

Within your tenancy you have a compute instance with a boot volume and a block volume attached. The boot volume contains the OS and the attached block volume contains the instance's important data. Logs on the boot volume have filled the boot volume and are causing issues with the OS.

What should you do to resolve this situation?

A. Stop the instance that is full. Create a manual backup of the block storage before making changes. Detach the block volume, create a new instance of the same shape with a larger custom boot volume and attach the block volume to the new instance. Configure the OS and any related application(s) to access the block volume under the same mount point as before.

B. Create a new instance with a larger boot volume size as well a new block volume which is the same size or larger than the one attached to the full instance. rsync the state of the boot volume and the state of the block volume between the two instances.

C. Detach the block volume from the full instance. Create a new instance of the same shape with a larger boot volume and rsync the state of the boot volume between the instances. Attach the block volume to the new instance.

D. Create a manual backup of the block storage instance. Create a custom image of the full instance. Once that completes deploy the custom image to a new instance.

Correct Answer: B

QUESTION 5

What is the maximum CIDR range that can be assigned when configuring a Virtual Cloud Network?

A. /16

B. /26

C. /24

D. /8

Correct Answer: A

Reference: https://cloud.oracle.com/en_US/bare-metal-network/vcn/faq

[Latest 1Z0-932 Dumps](#)

[1Z0-932 Practice Test](#)

[1Z0-932 Exam Questions](#)