



# 1Z0-932<sup>Q&As</sup>

Oracle Cloud Infrastructure 2018 Architect Associate

## Pass Oracle 1Z0-932 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-932.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





#### QUESTION 1

What is a valid option when exporting a custom image?

- A. object storage URL
- B. archive storage URL
- C. file storage service
- D. block volume

Correct Answer: A

Reference: <https://docs.cloud.oracle.com/iaas/Content/Compute/Tasks/imageimportexport.htm>

---

#### QUESTION 2

Which three can you achieve by using Terraform? (Choose three.)

- A. Create resources in the right order without regard to the order in the terraform plan file.
- B. Automatically re-provision the resources that are tainted or whose configuration has changed.
- C. Automatically translate a deployed infrastructure and create a plan.
- D. Automatically destroy all the resources that are in tenancy.
- E. Continuously maintain the configuration files in an instance.

Correct Answer: ABD

---

#### QUESTION 3

Which two statements are true about adding secondary VNICs to an existing compute instance? (Choose two.)

- A. The primary and secondary VNIC association must be in the same availability domain
- B. You can assign an Ephemeral Public IP to a secondary VNIC
- C. You can remove the primary VNIC after the secondary VNIC's attachment is complete
- D. The primary and secondary VNIC association can be in different virtual cloud networks (VCNs)

Correct Answer: AB

---

#### QUESTION 4

You are deploying a highly available web application in Oracle Cloud Infrastructure and have decided to



use a public load balancer. The back-end web servers will be distributed across all three availability domains (ADs).

How many subnets should you create to deliver a secure highly available application?

- A. three subnets in total; one subnet in each AD
- B. five subnets in total; two subnets each in the first and second AD with a single subnet in the third AD
- C. six subnets in total; two subnets in each AD; one for the load balancer and one for the web servers
- D. four subnets in total; one subnet in each AD for the web servers and a single subnet in any one AD for the load balancer

Correct Answer: C

---

#### QUESTION 5

Your company is developing a new database application in Oracle Cloud Infrastructure. You need to test application functionality including a hardware failure scenario. Since the application is still in the development phase, you want to minimize infrastructure costs.

Which database service deployment option meets this requirement?

- A. two node real application cluster (RAC) system
- B. Autonomous Data Warehouse (ADW) system as it provides auto fail over functionality
- C. two node bare metal system with data guard enabled
- D. single node bare metal system

Correct Answer: A

Reference: [https://cloud.oracle.com/iaas/whitepapers/oci\\_security.pdf](https://cloud.oracle.com/iaas/whitepapers/oci_security.pdf) (22)

[1Z0-932 Practice Test](#)

[1Z0-932 Study Guide](#)

[1Z0-932 Exam Questions](#)