1Z0-932^{Q&As}

Oracle Cloud Infrastructure 2018 Architect Associate

Pass Oracle 1Z0-932 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/1z0-932.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

QUESTION 1

Which two will occur when a back-end server that is registered with a back end set is marked to drain connections? (Choose two.)

A. It disallows new connections to that back-end server.

B. It keeps the connections to that instance open and attempts to complete any in-flight requests.

C. It redirects the requests to a user-defined error page.

D. It immediately closes all existing connections to that instance.

E. It forcibly closes all connections to that instance after a timeout period.

Correct Answer: AD

Reference: https://docs.cloud.oracle.com/iaas/Content/Balance/Tasks/managingbackendservers.htm

QUESTION 2

Which two are a valid image source when launching a new compute instance? (Choose two.)

A. bare metal instance

B. object storage

C. custom image

D. boot volume

Correct Answer: AC

Reference: https://docs.cloud.oracle.com/iaas/tools/oci-cli/latest/oci_cli_docs/cmdref/compute/instance/ launch.html

QUESTION 3

Which two statements define the types of DNS resolvers that exist? (Choose two.)

A. A custom resolver allows instances to use the host names of the hosts in your on-prem network that are connected to your VCN by an IPSec VPN connection.

B. A VCN resolver allows instances to use the host names of the hosts in your on-prem network that are connected to your VCN by an IPSec VPN connection.

C. A VCN resolver allows instances to use host names to communicate with instances on other VCNs in your tenancy.

D. An Internet resolver allows instances to use the host names that are published on the Internet.

Correct Answer: AD

QUESTION 4

For a compute instance that is launched in a private subnet in a Virtual Cloud Network (VCN), which action needs to be performed to connect to the Internet, assuming that the required security list is properly set up?

A. Assign a Public IP address to the compute instance.

B. Create and configure Network Address Translation (NAT) in a public subnet and route all traffic to it.

C. There is no way for an instance in a private subnet to connect to the Internet.

D. Create a default route entry in the route table to forward all traffic to the Internet gateway.

Correct Answer: B

QUESTION 5

You are managing a tier-1 OLTP application on an Autonomous Transaction Processing (ATP) database.

Your business needs to run hourly batch processes on this ATP database that may consume more CPUs

than what is available on the server.

How can you limit these batch processes to not interfere with the OLTP transactions?

A. Copy OLTP data into new tables in a new table space and run batch processes against these new tables

B. ATP is designed for OLTP workload only; you should not run batch processes on ATP

C. Disable automated backup during the batch process operations

D. Configure ATP resource management rules to manage runtime and IO consumption for the consumer group of batch processes

Correct Answer: D

Reference: https://oracle-base.com/articles/misc/articles-misc

Latest 1Z0-932 Dumps   1Z0-932 VCE Dumps   1Z0-932 Study Guide