



# 1Z0-996-21<sup>Q&As</sup>

Oracle Utilities Customer Cloud Service 2021 Implementation Essentials

## Pass Oracle 1Z0-996-21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-996-21.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

New: An electric utility is starting an Advanced Meter Infrastructure (AMI) roll-out for their residential customers. The initial plan is to roll out devices from their manufacturer with potentially three different device models. The customer has not decided what head-end systems they will use to communicate with these devices. Based on the customer's initial roll-out strategy, the devices will have to be configured consistently to support existing tariffs for billing.

Which is a valid consideration to determine the setup of device type administrative data for this implementation?

- A. billing usage rules
- B. the model number
- C. the device's date of manufacturer
- D. valid head-end systems, valid device configuration types, and the electricity service type

Correct Answer: C

---

### QUESTION 2

Your customer's initial measurement data (IMD) has been imported and can be viewed through the Measuring Component portal, but is not in the "Final" measurement status.

What can you assume that the IMD has passed?

- A. Critical Validation
- B. Multiplier Check Validation
- C. Sum Check Validation
- D. Critical Validation, High/Low Check Validation, and Sum Check Validation
- E. High/Low Check Validation

Correct Answer: B

---

### QUESTION 3

What can cause a bill segment to have multiple bill calculation headers?

- A. multiple Rate Version Calculation Group
- B. multiple Scheduled Read Dates covered by the bill period
- C. proration at Bill Factor level
- D. multiple service agreements being covered by a bill segment
- E. proration at Calculation Rules level



---

Correct Answer: C

---

#### QUESTION 4

Which describes derived values and their relationship with Final Measurements?

- A. Final Measurements can have multiple derived values, which represent other values for the same Final Measurement Date/Time.
- B. Derived values can have multiple Final Measurements, which represent other values for the same Initial Measurement Date/Time.
- C. Final Measurements can have one derived value, which represents an alternative for the same Final Measurement Date/Time.
- D. Final Measurements can have one derived value, which represents the Initial Measurement for the same Final Measurement Date/Time.

Correct Answer: D

---

#### QUESTION 5

How many devices can be installed at a service point at an instance in time?

- A. exactly one device
- B. up to three devices
- C. one for each service type
- D. one for each measuring component

Correct Answer: A

Reference: [https://docs.oracle.com/cd/E80256\\_01/PDF/MDM-SGG\\_Business\\_User\\_Guide\\_v2\\_2\\_0\\_0.pdf](https://docs.oracle.com/cd/E80256_01/PDF/MDM-SGG_Business_User_Guide_v2_2_0_0.pdf)

[1Z0-996-21 PDF Dumps](#)

[1Z0-996-21 Study Guide](#)

[1Z0-996-21 Braindumps](#)