



1Z0-996^{Q&As}

Oracle Utilities Customer Cloud Service 2019 Implementation Essentials

Pass Oracle 1Z0-996 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-996.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

The base package usage transaction business object is represented by D2-UsageTransaction. The usage calculation engine or process drives the specifics of the usage to be calculated on this business object.

Based on this, which three configuration areas will have an impact on the usage calculation process? (Choose three.)

- A. VEE rule
- B. TOU map
- C. Usage Rule
- D. Factor Override

Correct Answer: BCD

Reference: https://docs.oracle.com/cd/E38983_04/PDF/MDM_Configuration_Guide_v2_1_0_3.pdf

QUESTION 2

Which option correctly describes the high-level process from loading measurements through calculating usage?

- A. 1. Load Initial Measurements
- 2. Validate, edit, and estimate Initial Measurements
- 3. Create Final Measurements
- 4. Update Initial Measurements
- B. 1. Load Initial Measurements
- 2. Verify, evaluate, and enter Initial Measurements
- 3. Create Final Measurements
- 4. Calculate Usage
- C. 1. Load Initial Measurements



2.

Validate, evaluate, and estimate Initial Measurements

3.

Update Initial Measurements

4.

Calculate Usage

D. 1. Load Initial Measurements

2.

Validate, edit, and estimate Initial Measurements

3.

Create Final Measurements

4.

Calculate Usage

Correct Answer: B

QUESTION 3

New: An electric utility is starting an Advanced Meter Infrastructure (AMI) roll-out for their residential customers. The initial plan is to roll out devices from their manufacturer with potentially three different device models. The customer has not decided what head-end systems they will use to communicate with these devices. Based on the customer's initial roll-out strategy, the devices will have to be configured consistently to support existing tariffs for billing.

Which is a valid consideration to determine the setup of device type administrative data for this implementation?

A. billing usage rules

B. the model number

C. the device's date of manufacturer

D. valid head-end systems, valid device configuration types, and the electricity service type

Correct Answer: C

QUESTION 4

You are configuring a VEE group to include rules to be executed when loading the initial measurement data (IMD).

What is the VEE group directly associated with?



- A. Device Type and Measuring Component Type
- B. Measuring Component Type
- C. Device Type
- D. Usage Type
- E. Device Configuration Type

Correct Answer: E

Reference: https://docs.oracle.com/cd/E38983_04/PDF/MDM_Configuration_Guide_v2_1_0_3.pdf (151 152)

QUESTION 5

Which three statements are true about initial measurements, final measurements, and usage? (Choose three.)

- A. Usage is a synonym for bill determinants.
- B. The initial measurement data can be optionally stored in Raw format.
- C. A service point can have more than one initial measurement for the same period, but only one final measurement.
- D. Final measurements can be directly edited or updated by users or by automated processes as required.
- E. Usage is loaded in the application to generate final measurements.

Correct Answer: CDE

[1Z0-996 Practice Test](#)

[1Z0-996 Study Guide](#)

[1Z0-996 Braindumps](#)