



# 200-120<sup>Q&As</sup>

Cisco Certified Network Associate Exam

## Pass Cisco 200-120 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/200-120.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which protocol advertises a virtual IP address to facilitate transparent failover of a Cisco routing device?

- A. FHRP
- B. DHCP
- C. RSMLT
- D. ESRP

Correct Answer: A

### QUESTION 2


An administrator is trying to ping and telnet from SwitchC to RouterC with the results shown below.

**Instructions**

An administrator is trying to ping and telnet from SwitchC to RouterC with the results shown below.

```
SwitchC>  
SwitchC> ping 10.4.4.3  
Type escape sequence to abort.  
Sending 5, 100-byte ICMP Echos to 10.4.4.3, timeout is 2 seconds:  
U.U.U  
Success rate is 0 percent (0/5)  
SwitchC>  
SwitchC> telnet 10.4.4.3  
Trying 10.4.4.3 ...  
% Destination unreachable; gateway or host down  
SwitchC>
```


Click the console connected to RouterC and issue the appropriate commands to answer the questions.




Click the console connected to RouterC and issue the appropriate commands to answer the questions.



Topology



```
<output omitted>
interface Loopback1
ip address 172.16.4.1.255.255.255.0
!
interface Loopback2
ip address 10.145.145.1 255.255.255.0
ipv6 address 2001:410:2:3::/64 eui-64
!
interface FastEthernet0/0
ip address 10.4.4.3.255.255.255.0
ip access-group 106 in
duplex auto
speed auto
!
interface FastEthernet0/1
no ip address
shutdown
duplex auto
speed auto
!
interface Serial0/0/0
bandwidth 64
no ip address
ip access-group 102 out
encapsulation frame-relay
ip ospf authentication
ip ospf authentication
ip ospf authentication-key san-fran
!
interface Serial0/0/0.1 point-to-point
ip address 10.140.3.2.255.255.255.0
ip authentication mode eigrp 100 md5
ip authentication key-chain eigrp 100 icndchain
frame-relay interface-dlci 120
!
interface Serial0/0/1
bandwidth 64
ip address 10.45.45.1.255.255.255.0
ip access-group 102 in
ip authentication mode eigrp 100 md5
ip authentication key-chain eigrp 100 icndchain
ip ospf authentication
ip ospf authentication-key san-fran
ipv6 address 2001:410:2:10::/64 eui-64
!
```





```
router eigrp 100
 network 10.0.0.0
 network 172.16.0.0
 network 192.168.2.0
 not auto-summary
!
router ospf 100
 log-adjacency-changes
 network 10.4.4.3 0.0.0.0 area 0
 network 10.45.45.1 0.0.0.0 area 0
 network 10.140.3.2 0.0.0.0 area 0
 network 192.168.2.62 0.0.0.0 area 0
!
router rip
 version 2
 network 10.0.0.0
 network 172.16.0.0
!
ip default-gateway 10.1.1.2
!
!
ip http server
no ip http secure-server
!
```

```
access-list 102 permit tcp any any eq ftp
access-list 102 permit tcp any any eq ftp-data
access-list 102 deny tcp any any eq telnet
access-list 102 deny icmp any any echo-reply
access-list 102 permit ip any any

access-list 104 permit tcp any any eq ftp
access-list 104 permit tcp any any eq ftp-data
access-list 104 deny tcp any any eq telnet
access-list 104 permit icmp any any echo
access-list 104 deny icmp any any echo-reply
access-list 104 permit ip any any

access-list 106 permit tcp any any eq ftp
access-list 106 permit tcp any any ftp-data
access-list 106 deny tcp any any eq telnet
access-list 106 permit icmp any any echo-reply
access-list 110 permit udp any any eq domain
access-list 110 permit udp any eq domain any
access-list 110 permit tcp any any eq domain
access-list 110 permit tcp any eq domain any
access-list 110 permit tcp any any

access-list 114 permit ip 10.4.4.0.0.0.255 any

access-list 115 permit ip 0.0.0.0 255.255.255.0 any

access-list 122 deny tcp any any
access-list 122 deny imp any any echo-reply
access-list 122 permit ip any any
!
<output omitted>
```





What would be the effect of issuing the command `ip access-group 114 in` to the `fa0/0` interface?

- A. Attempts to telnet to the router would fail.
- B. It would allow all traffic from the 10.4.4.0 network.
- C. IP traffic would be passed through the interface but TCP and UDP traffic would not.
- D. Routing protocol updates for the 10.4.4.0 network would not be accepted from the `fa0/0` interface.

Correct Answer: B

From the output of `access-list 114: access-list 114 permit ip 10.4.4.0 0.0.0.255 any` we can easily understand that this access list allows all traffic (ip) from 10.4.4.0/24 network

---

### QUESTION 3

When you are troubleshooting an ACL issue on a router, which command would you use to verify which interfaces are affected by the ACL?

- A. `show ip access-lists`
- B. `show access-lists`
- C. `show interface`
- D. `show ip interface`
- E. `list ip interface`

Correct Answer: D

Incorrect answer:

`show ip access-lists` does not show interfaces affected by an ACL.

---

### QUESTION 4

What are three factors a network administrator must consider before implementing Netflow in the network? (Choose three.)

- A. CPU utilization
- B. where Netflow data will be sent
- C. number of devices exporting Netflow data
- D. port availability
- E. SNMP version
- F. WAN encapsulation



Correct Answer: ABC

NetFlow has a reputation for increasing CPU utilization on your network devices. Cisco's performance testing seems to indicate that newer hardware can accommodate this load pretty well, but you will still want to check it out before you turn on the feature. Some symptoms of high CPU utilization are very large jitter and increased delay. Services running on the device may also be affected. Another thing to keep in mind is the amount of data you're going to be sending across the network. Depending on how much traffic you have and how you configure it, the traffic can be substantial. For example, you may not want to send NetFlow data from a datacenter switch to a NetFlow collector on the other side of a small WAN circuit. Also bear in mind that the flows from aggregating large numbers of devices can add up.

Reference: <http://searchenterprise.wan.techtarget.com/tip/How-the-NetFlow-protocol-monitors-your-WAN>

---

#### QUESTION 5

Which three elements must be used when you configure a router interface for VLAN trunking? (Choose three.)

- A. one physical interface for each subinterface
- B. one IP network or subnetwork for each subinterface
- C. a management domain for each subinterface
- D. subinterface encapsulation identifiers that match VLAN tags
- E. one subinterface per VLAN
- F. subinterface numbering that matches VLAN tags

Correct Answer: BDE

This scenario is commonly called a router on a stick. A short, well written article on this operation can be found here: <http://www.thebryantadvantage.com/RouterOnASTickCCNACertificationExamTutorial.htm>

[Latest 200-120 Dumps](#)

[200-120 PDF Dumps](#)

[200-120 Practice Test](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !

- 100% Guaranteed Success
- 100% Money Back Guarantee
- 365 Days Free Update
- Instant Download After Purchase
- 24x7 Customer Support
- Average 99.9% Success Rate
- More than 800,000 Satisfied Customers Worldwide
- Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.geekcert.com/allproducts>

## Need Help

Please provide as much detail as possible so we can best assist you.  
To update a previously submitted ticket:



 <p><b>One Year Free Update</b> Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p><b>Money Back Guarantee</b> To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p><b>Security &amp; Privacy</b> We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.  
All trademarks are the property of their respective owners.  
Copyright © geekcert, All Rights Reserved.