



200-355^{Q&As}

Implementing Cisco Wireless Network Fundamentals

Pass Cisco 200-355 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/200-355.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A customer wants to analyze the data rates that are available to a corporate laptop in its wireless deployment. The customer wants a heat map that displays actual data and shows the data rates that are available to the client in different areas of its facility. When using AirMagnet Survey PRO, which type of survey provides the actual data rates?

- A. virtual
- B. predictive
- C. passive
- D. active

Correct Answer: D

QUESTION 2

```
Number of Clients..... 11
Number of PMIPv6 Clients..... 0
Number of EOGRE Clients..... 0
```

MAC Address	AP Name	Slot	Status	WLAN	Auth	Protocol	Port	Wired	Tunnel	Role
04:52:f3:c2:7c:4f	WAP-15	0	Associated	21	Yes	802.11n(2.4 GHz)	8	No	No	Export foreign
04:92:15:97:6e:7f	WAP-12	0	Associated	21	Yes	802.11n(2.4 GHz)	8	No	No	Export foreign
04:b1:67:15:8d:c0	WAP-17	0	Associated	21	Yes	802.11n(2.4 GHz)	8	No	No	Export foreign
04:b1:67:c5:9d:8d	WAP-16	1	Associated	21	Yes	802.11n(5 GHz)	8	No	No	Export foreign
08:25:25:07:aa:53	WAP-07	0	Associated	21	Yes	802.11n(2.4 GHz)	8	No	No	Export foreign
0c:51:01:c9:5d:2f	WAP-16	1	Associated	21	Yes	802.11n(5 GHz)	8	No	No	Export foreign

Refer to the exhibit. Which command was given in the wireless controller to display the active clients that are associated with an access point?

- A. show ap clients
- B. show client active all
- C. show 802.11 association
- D. show client summary

Correct Answer: D

QUESTION 3

You are configuring SNMPv1/v2c on a WLC. What should you do for improved security?

- A. Remove the default SNMPv1 community.



B. Remove the default SNMPv1 and SNMPv2 communities.

C. Remove the default SNMPv2 community.

D. Remove the default SNMPv3 users.

Correct Answer: B

The controller has commonly known default values of "public" and "private" for the read-only and read-write SNMP community strings. Using these standard values presents a security risk. If you use the default community names, and since

these are known, the community names could be used to communicate to the controller using SNMP. Therefore, we strongly advise that you change these values.

Step 1

Choose Management and then Communities under SNMP. The SNMP v1 / v2c Community page appears.

Step 2

If "public" or "private" appears in the Community Name column, hover your cursor over the blue drop-down arrow for the desired community and choose Remove to delete this community.

Step 3

Click New to create a new community. The SNMP v1 / v2c Community > New page appears.

Step 4

In the Community Name text box, enter a unique name containing up to 16 alphanumeric characters. Do not enter "public" or "private." Step 5

In the next two text boxes, enter the IPv4/IPv6 address and IP Mask/Prefix Length from which this device accepts SNMP packets with the associated community and the IP mask.

Step 6

Choose Read Only or Read/Write from the Access Mode drop-down list to specify the access level for this community.

Step 7

Choose Enable or Disable from the Status drop-down list to specify the status of this community.

Step 8

Click Apply to commit your changes.

Step 9

Click Save Configuration to save your settings.

Step 10

Repeat this procedure if a "public" or "private" community still appears on the SNMP v1 / v2c Community page.



QUESTION 4

What three roles are defined by 802.1X? (Choose three.)

- A. AAA Server
- B. Authenticatee
- C. Authenticator
- D. Authentication Server
- E. Supplicant

Correct Answer: CDE

QUESTION 5

What encryption standards describe WPA and WPA2?

- A. WPA mandates AES with TKIP optional, WPA2 mandates TKIP
- B. WPA mandates TKIP with AES optional, WPA2 mandates AES
- C. WPA mandates CKIP, WPA2 mandates AES
- D. WPA mandates CKIP with AES optimal, WPA2 mandates AES

Correct Answer: B

[200-355 PDF Dumps](#)

[200-355 Exam Questions](#)

[200-355 Braindumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

<https://www.geekcert.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.	 Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.	 Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © geekcert, All Rights Reserved.