



200-401^{Q&As}

Managing Industrial Networks with Cisco Networking Technologies
(IMINS)

Pass Cisco 200-401 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/200-401.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

With a Cisco IE 2000 switch, what does a port status LED indicate when it is solid green?

- A. The port is sending or receiving data.
- B. A link is present.
- C. No link is present.
- D. There is a link fault.
- E. The port is not forwarding.

Correct Answer: B

QUESTION 2

With a Cisco IE 2000 switch, what does a port status LED indicate when it is solid amber?

- A. The port is sending or receiving data.
- B. A link is present.
- C. No link is present.
- D. There is a link fault.
- E. The port is not forwarding.

Correct Answer: E

QUESTION 3

DRAG DROP

Select and Place:

Drag the steps on the left and arrange them in the order they should be completed when removing an industrial switch from a DIN rail on the right.	
Disconnect all cables and connectors from the front panel of the switch.	Step 1
Pull the bottom of the switch away from the DIN rail and lift the hooks off the top of the DIN rail.	Step 2
Turn off power to the switch.	Step 3
Release the latch from the DIN rail using a flat head screw driver.	Step 4



Select and Place:

Drag the steps on the left and arrange them in the order they should be completed when removing an industrial switch from a DIN rail on the right.	
Disconnect all cables and connectors from the front panel of the switch.	Step 1
Pull the bottom of the switch away from the DIN rail and lift the hooks off the top of the DIN rail.	Step 2
Turn off power to the switch.	Step 3
Release the latch from the DIN rail using a flat head screw driver.	Step 4

Correct Answer:

Drag the steps on the left and arrange them in the order they should be completed when removing an industrial switch from a DIN rail on the right.	
	Turn off power to the switch.
	Disconnect all cables and connectors from the front panel of the switch.
	Release the latch from the DIN rail using a flat head screw driver.
	Pull the bottom of the switch away from the DIN rail and lift the hooks off the top of the DIN rail.

QUESTION 4

Which three of the following components must be elected before the Spanning Tree Protocol can converge in a switched LAN? (Choose three.)

- A. designated ports
- B. duplex operating mode
- C. fast mode ports
- D. root bridge
- E. root ports
- F. BDPU priority

Correct Answer: ADE

QUESTION 5

What are two benefits of a star network topology? (Choose two.)

- A. Disruption of the entire network is not required when adding new machines.



- B. Any problem which leaves the network inoperable can be traced to the central hub.
- C. This network type requires less cable as compared to linear bus topology.
- D. The performance of one of the numerous nodes cannot reflect on the performance of other nodes.
- E. The performance of the entire network is directly dependent on the performance of the hub.

Correct Answer: AB

[200-401 VCE Dumps](#)

[200-401 Exam Questions](#)

[200-401 Braindumps](#)