



# 200-401<sup>Q&As</sup>

Managing Industrial Networks with Cisco Networking Technologies  
(IMINS)

**Pass Cisco 200-401 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/200-401.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

What is the most critical step to perform when you are using optical fiber connectors?

- A. Cover with dust caps when not in use.
- B. Immerse in alcohol prior to use.
- C. Blow off and carefully wipe down with a tissue before and after each use.
- D. Lightly sand with cloth prior to mating.

Correct Answer: A

### QUESTION 2

Exhibit:



Which two statements are correct for a safe wiring installation to the terminal block of the switch or endpoint? (Choose two.)

- A. Insert a green ground wire into the terminal block that is marked RT for return.
- B. Verify that DC power is live and within 24 VDC voltage range before starting wiring.
- C. Verify that the DC power circuit includes an overcurrent protective device that limits the DC current to 5
- D.
- E. Because this is a low-voltage DC circuit, anyone can install this wiring without electrical training or qualifications.
- F. Connect the positive 24 VDC conductor to the V terminal and connect the negative 24 VDC return wire to the RT terminal.
- G. A ground wire can optionally be connected to the screw terminal on the front of the switch.

Correct Answer: CE



### QUESTION 3

At which Layer would you check for spanning tree loops?

- A. Layer 1
- B. Layer 2
- C. Layer 3
- D. Layer 4

Correct Answer: B

---

### QUESTION 4

What should be done with unused conductors in copper unshielded or shielded twisted-pair network cables?

- A. terminate in their characteristic impedance
- B. trim back and properly insulate
- C. connect to protective earth
- D. splice to a used conductor

Correct Answer: A

---

### QUESTION 5

What are the two most relevant factors in determining the class of administration that is required to maintain the telecommunications infrastructure? (Choose two.)

- A. the size of the infrastructure
- B. the complexity of the infrastructure
- C. the age of the infrastructure
- D. the industry that the infrastructure supports
- E. the physical environment of the infrastructure

Correct Answer: AB

[200-401 PDF Dumps](#)

[200-401 VCE Dumps](#)

[200-401 Practice Test](#)