



200-401^{Q&As}

Managing Industrial Networks with Cisco Networking Technologies
(IMINS)

Pass Cisco 200-401 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/200-401.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

With a Cisco IE 2000 switch, what does a port status LED indicate when it is alternating green and amber?

- A. The port is sending or receiving data.
- B. A link is present.
- C. No link is present.
- D. There is a link fault.
- E. The port is not forwarding.

Correct Answer: D

QUESTION 2

Which option best describes a mechanical, ingress, climatic, chemical and electromagnetic environment that is classified as M3 I3 C3 E3?

- A. the highest quality
- B. office environment
- C. severe
- D. serviced by multiple cable segments

Correct Answer: C

QUESTION 3

Which three pieces of information must be maintained for all stakeholders as part of the change management process? (Choose three.)

- A. the location of the person who applied the change
- B. the date and time that the change was applied and on which device
- C. the original change request form that indicates why the change is necessary
- D. the size of the change (in bytes)
- E. a description of the actual change itself (configuration, program code, and so on)
- F. the names of the current members of the change advisory board
- G. the industrial protocol that is used

Correct Answer: BCE



QUESTION 4

Which of the following correctly pairs the dotted decimal subnet mask with the correct number of binary bits that represent the subnet mask?

- A. 255.255.255.192 and /25
- B. 255.255.255.248 and /28
- C. 255.255.255.224 and /26
- D. 255.255.255.248 and /27
- E. 255.255.255.240 and /28
- F. 255.255.255.240 and /16

Correct Answer: E

QUESTION 5

What is the purpose of Spanning Tree Protocol?

- A. to prevent routing loops
- B. to create a default route
- C. to provide multiple gateways for hosts
- D. to maintain a loop-free Layer 2 network topology
- E. to enhance the functions of SNMP

Correct Answer: D

[Latest 200-401 Dumps](#)

[200-401 VCE Dumps](#)

[200-401 Braindumps](#)