



200-401^{Q&As}

Managing Industrial Networks with Cisco Networking Technologies
(IMINS)

Pass Cisco 200-401 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/200-401.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center


-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Exhibit: Refer to the exhibit. What are three traffic and interconnection requirements for the devices in the exhibit?
(Choose three.)



- A. The EtherNet/IP drive connections are in a high-voltage area and need protection from electromagnetic noise, so shielded cable that is rated for 600 V is advised.
- B. EtherNet/IP devices such as the controller, drive, VoIP phone, and IP camera should be in the same VLAN.
- C. CIP traffic has the highest bandwidth requirement so it needs the highest QoS setting.
- D. EtherNet/IP drive traffic has high sensitivity to random drops, latency, and jitter.
- E. Real-time motion control and VoIP traffic can share the same VLAN with the proper QoS setting.
- F. IEEE1588 and PTP are important for ensuring real-time synchronization.

Correct Answer: ADF

QUESTION 2

Why is SSH preferred over Telnet as a method of accessing a network device to alter or view the configuration?

- A. Telnet encrypts only the login information, not the entire transmission.



- B. SSH requires fewer network resources and no additional configuration.
- C. Telnet is more difficult to use and configure than SSH.
- D. SSH encrypts the login and session information.

Correct Answer: D

QUESTION 3

Which two commands can help you to determine what image is running on your industrial switch? (Choose two.)

- A. show version
- B. show spanning-tree
- C. show interface-switch
- D. show interfaces gigabitEthernet x/y switchport
- E. show license

Correct Answer: AE

QUESTION 4

A small manufacturing company has a Class C network address on the plant floor and needs to create five subnets, each accommodating 25 endpoints. Which subnet mask needs to be configured?

- A. 255.255.240.0
- B. 255.255.255.128
- C. 255.255.255.192
- D. 255.255.255.224
- E. 255.255.255.240
- F. 255.255.255.248

Correct Answer: D

QUESTION 5

What is the most critical step to perform when you are using optical fiber connectors?

- A. Cover with dust caps when not in use.
- B. Immerse in alcohol prior to use.



C. Blow off and carefully wipe down with a tissue before and after each use.

D. Lightly sand with cloth prior to mating.

Correct Answer: A

[Latest 200-401 Dumps](#)

[200-401 VCE Dumps](#)

[200-401 Study Guide](#)