



200-901^{Q&As}

Developing Applications and Automating Workflows using Cisco Platforms (DEVASC)





Pass Cisco 200-901 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/200-901.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which HTTP response code should be returned when the request is completed but there is no content to send for the request?

- A. 100
- B. 204
- C. 302
- D. 402

Correct Answer: B

https://developer.mozilla.org/en-US/docs/Web/HTTP/Status#successful_responses

QUESTION 2

An engineer needs to collect information about 20,000 Bluetooth clients using the Cisco Meraki API. The API returns only 1,000 results. One of the HTTP response headers has the data:

Link:

<https://api.meraki.com/info/api/v0/networks/ABC/bluetoothClients?perPage=1000&startingAfter=1000>;rel=next>

Which RFC is implemented by the API to apply the restriction?

- A. RFC 5988 ?Web Linking
- B. RFC 5890 ?Response Constraints
- C. RFC 5005 ?Feed Paging and Archiving
- D. RFC 5446 ?Content Limits

Correct Answer: C

RFC5005 does reference this <https://www.rfc-editor.org/rfc/rfc5005.html>

QUESTION 3

A developer must add an idempotent task to an Ansible playbook that configures a Cisco IOS device. HTTP traffic must be permitted from 192.168.1.1 to 192.168.1.5 host machine. Which code snippet must be used?



- A. - ios_command:
 commands:
 - configure terminal
 - access-list 120 permit tcp host 192.168.1.1
 host 192.168.1.5 any any eq www
- B. -ios_config:
 lines: access-list 120 permit tcp host
 192.168.1.1 host 192.168.1.5 any any eq www
- C. -ios_config:
 lines: access-list 120 permit tcp host
 192.168.1.1 host 192.168.1.5 eq 80
- D. - ios_command:
 mode: configure terminal
 args: access-list 120 permit tcp host 192.168.1.1
 host 192.168.1.5 any any eq 80

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: C

QUESTION 4


Which two use cases are supported by Meraki APIs? (Choose two.)

- A. Build location-aware apps from Wi-Fi and LoRaWAN devices.
- B. Build a custom Captive Portal for Mobile Apps.
- C. Configure network devices via the Dashboard API.
- D. Deploy applications onto the devices.
- E. Retrieve live streams from a Meraki Camera.

Correct Answer: BC

**QUESTION 5**

Refer to the exhibit. An application must be deployed on a server that has other applications installed. The server resources are to be allocated based on the deployment requirements. The OS for each application must be independent. Which type of deployment is used?



- A. hybrid
- B. virtual machines
- C. containers
- D. bare metal

Correct Answer: B