



201-01^{Q&As}

Riverbed Certified Solutions Associate - Network Performance Management

Pass Riverbed 201-01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/201-01.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Riverbed
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which of the following reports provide the best view into how often an analytic policy has alerted over time, which specific metrics have fired, and by how much the observations exceed the tolerance around the forecasted values?

- A. Service Performance Report
- B. Service Incident Report
- C. Performance Investigation Reports
- D. Event Reports
- E. Service Level Objective Reports

Correct Answer: E

QUESTION 2

Beginning with version 9.0.5 what is the maximum number of flows per minute that the Cascade Gateway can be licensed for?

- A. 800,000
- B. 1,000,000
- C. 1,200,000
- D. 1,400,000
- E. 1,600,000

Correct Answer: D

QUESTION 3

What statements are true regarding Cascade Sensors? (Select 3)

- A. use mirror ports or passive taps to collect data from a network segment.
- B. can forward packets to other network management systems.
- C. provide deep packet inspection to identify the application being accessed by a host.
- D. can decrypt secure protocols.
- E. communicate with Profiler appliance using compressed and encrypted data.

Correct Answer: ACE



QUESTION 4

From the perspective of reporting from the Cascade Profiler, what are the differences between flow reported by a Cascade Sensor (minimum version 9.0) and a Cascade Shark (minimum version 3)?

- A. Flows reported by Cascade Shark will not include an application tag triggered by matching known signatures within the first 1000 bytes of the flow.
- B. The Cascade Shark can forward flow to only one destination Cascade Profiler.
- C. The communication between the Cascade Shark and Cascade Profiler is NOT encrypted as it is with Cascade Sensor and Cascade Profiler communication.
- D. All of the Above.

Correct Answer: A

QUESTION 5

What are the default credentials to log into the Cascade Shark appliance Web Interface?

- A. admin/admin
- B. root/sharkappliance
- C. root/root
- D. root/riverbed
- E. admin/cacetech

Correct Answer: A

[201-01 PDF Dumps](#)

[201-01 VCE Dumps](#)

[201-01 Braindumps](#)