



201-450^{Q&As}

LPIC-2 Exam 201 Part 1 of 2 version 4.5

Pass Lpi 201-450 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/201-450.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

In capacity planning exercises, which tools assist in listing and identifying processes of interest? (Choose TWO correct answers.)

- A. acpid
- B. lsof
- C. pstree
- D. telinit

Correct Answer: BC

QUESTION 2

Which RAID level value must be used with Linux software RAID in order to create an array of mirrored devices?

- A. 1
- B. 5
- C. 6
- D. container
- E. mirrorstripe

Correct Answer: A

QUESTION 3

A network client has an ethernet interface (eth0) configured with an IP address in the subnet 192.168.0.0/24. This subnet has a router, with the IP address 192.168.0.1, that connects this subnet to the Internet. What needs to be done on the client to enable it to use the router as its default gateway? (Choose TWO correct answers.)

- A. `route add default gw 192.168.0.1 eth0`
- B. `ifconfig eth0 defaultroute 192.168.0.1`
- C. `ip route add default via 192.168.0.1 dev eth0`
- D. `echo defaultroute 192.168.0.1 >> /etc/resolv.conf`
- E. `route add defaultgw=192.168.0.1 if=eth0`

Correct Answer: AC

**QUESTION 4**

After changing the default runlevel in the SysV-init configuration file, the system boots in a different than intended runlevel. Where else could this different runlevel be defined?

- A. In the `/etc/sysctl.conf`
- B. In the boot loader configuration file
- C. In the `/etc/runlevel` file
- D. In the `/boot/initramfs` file
- E. In the `/etc/rc.d/rc.local` file

Correct Answer: B

QUESTION 5

What is incorrect about these entries in `/etc/hosts` which could be causing host name lookup problems with `host2`?

```
host1 192.168.1.12
```

```
host2 192.168.1.12
```

- A. Two host names are using the same IP address.
- B. The server doing the query is on a different subnet.
- C. The fields are out of order.
- D. `host2` is not a fully qualified domain name.

Correct Answer: C

[Latest 201-450 Dumps](#)

[201-450 VCE Dumps](#)

[201-450 Practice Test](#)