



201^{Q&As}

TMOS Administration

Pass F5 201 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/201.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by F5 Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A BIG-IP Administrator contacts F5 Support, which identifies a suspected hardware failure. Which information should the BIG-IP Administrator provide to F5 Support?

- A. Qkview, EUD output
- B. Qkview, UCS archive, core files
- C. Qkview, part numbers for failed components
- D. Qkview, packet capture, UCS archive

Correct Answer: A

QUESTION 2

Which two statements are true concerning the default communication between a redundant pair of BIG-IP systems? (Choose two.)

- A. Synchronization occurs via a TCP connection using ports 683 and 684.
- B. Connection mirroring data is shared via a TCP connection using port 1028.
- C. Persistence mirroring data is shared via a TCP connection using port 1028.
- D. Connection mirroring data is shared through the serial fail over cable unless network failover is enabled.

Correct Answer: BC

QUESTION 3

A virtual server is listening at 10.10.1.100:80 and has the following iRule associated with it:

```
when HTTP_REQUEST { if {[HTTP::uri] ends_with "txt" } { pool pool1 } elseif {[HTTP::uri] ends_with "php" } { pool pool2 } }
```

If a user connects to <http://10.10.1.100/foo.html>, which pool will receive the request?

- A. pool1
- B. pool2
- C. None. The request will be dropped.
- D. Unknown. The pool cannot be determined from the information provided.

Correct Answer: D



QUESTION 4

A BIGIP Administrator needs to load a UCS file but must exclude the license file. How should the administrator perform this task?

- A. From the CLI with command `U tmsh load /$sys ucs no-license`
- B. From the GUI, select the UCS file, uncheck the license box, and click restore
- C. From the CLI with command `(tmsh)?tmsh load /sys ucs; no-license`
- D. From the GUI, select the UCS file and click restore

Correct Answer: A

QUESTION 5

Which two statements are true about SNATs? (Choose two.)

- A. SNATs are enabled on all VLANs, by default.
- B. SNATs can be configured within a Profile definition.
- C. SNATs can be configured within a Virtual Server definition.
- D. SNATs are enabled only on the VLAN where origin traffic arrives, by default.

Correct Answer: AC

[Latest 201 Dumps](#)

[201 Practice Test](#)

[201 Exam Questions](#)