



201^{Q&As}

TMOS Administration

Pass F5 201 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/201.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by F5 Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

All pool members are online. All other virtual server settings are at default.

What might affect the load balancing behavior?

- A. enabling SNAT automap
- B. enabling a fallback host in the http profile
- C. adding a oneconnect profile
- D. adding a persistence profile

Correct Answer: D

QUESTION 2

When upgrading a BIG-IP redundant pair, what happens when one system has been updated but the other has not?

- A. Syncing should not be performed.
- B. The first system to be updated will assume the Active role.
- C. This is not possible since both systems are updated simultaneously.
- D. The older system will issue SNMP traps indicating a communication error with the partner.

Correct Answer: A

QUESTION 3

Refer to the exhibit.



How many nodes are represented on the network map shown?

- A. Four



B. Three

C. One

D. Two

Correct Answer: B

QUESTION 4

Monitors can be assigned to which three resources? (Choose three.)

A. NATs

B. pools

C. iRules

D. nodes

E. SNATs

F. pool members

G. virtual servers

Correct Answer: BDF

QUESTION 5

Assuming that systems are synchronized, which action could take place if the fail over cable is connected correctly and working properly, but the systems cannot communicate over the network due to external network problems?

A. If network failover is enabled, the standby system will assume the active mode.

B. Whether or not network failover is enabled, the standby system will stay in standby mode.

C. Whether or not network failover is enabled, the standby system will assume the active mode.

D. If network failover is enabled, the standby system will go into active mode but only until the network recovers.

Correct Answer: B

[201 PDF Dumps](#)

[201 VCE Dumps](#)

[201 Brindumps](#)