



210-015^{Q&As}

VCE Vblock System Deployment and Implementation –Virtualization

Pass VCE 210-015 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/210-015.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VCE Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which CDDVD connecton mode would be used only for remote client device access?

- A. Emulate IDE
- B. Host Device
- C. Passthrough IDE (raw)
- D. Data store ISO File

Correct Answer: C

QUESTION 2

According to the VCE Logical Build guide, which command would you use to install the Cisco FNIC driver using the vSphere CLI in ESXi 5.0?

- A. vihostupdate.pl
- B. vicfg-vmknic
- C. vicfg-nics
- D. esxtop

Correct Answer: A

QUESTION 3

You are asked to setup several ESXi hosts so that they boot from SAN. Afer completng the second host and powering it on, the ESXi image becomes corrupt.

What is the cause?

- A. The shared LUN is out of space.
- B. A path to storage was lost.
- C. A port on the Cisco MDS switch was improperly configured.
- D. The two hosts were configured to share the same boot LUN.

Correct Answer: D

QUESTION 4



While upgrading five hosts in a vSphere cluster, the maintenance window ends. The customer does not allow you to extend the window, so now the cluster is running the hosts at different build levels. There are two hosts at the new build version, and three hosts at the previous build version. There are 11 virtual

machines protected by VMware Fault Tolerance in the cluster. You now see the following error: No suitable

host can be found to place the Fault Tolerance Secondary VM for virtual machine SalesVM.

What is the cause of this error?

- A. Fault Tolerance requires that the hosts for the primary and secondary virtual machines use the same host build number and patch level.
- B. Fault Tolerance has detected a difference between the primary and secondary virtual machines.
- C. Fault Tolerance will not create a Secondary virtual machine in a cluster with mixed build versions.
- D. VMware HA will not function properly in a cluster with mixed build versions, which prevents Fault Tolerance from creating a secondary virtual machine.

Correct Answer: A

QUESTION 5

When installing the virtual Ethernet module (VEM) for a Nexus 1000V, which two software installation methods would be used for ESXi host configuration? (Choose two.)

- A. Install with the VMware Update Manager (VUM).
- B. Install the VIB remotely using the esxcli.
- C. Install the VEM from the OVF template.
- D. Install the VIB using the Nexus 1000V Web interface.

Correct Answer: AB

[210-015 VCE Dumps](#)

[210-015 Study Guide](#)

[210-015 Exam Questions](#)