



Implementing Cisco Video Network Devices

# Pass Cisco 210-065 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/210-065.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





#### **QUESTION 1**

An engineer is recovering the password for an admin that has been locked out of a CTS 500-32 not registered to the Cisco Unified Communications Manager. Which option must be entered into the username field when prompted?

- A. pwreset
- B. admin
- C. helpdesk
- D. pwrecovery
- Correct Answer: D

Reference:

https://www.cisco.com/c/en/us/td/docs/telepresence/cts\_admin/1\_7/admin/guide/cts\_admin/ctsadmin\_cfg.html

#### **QUESTION 2**

Refer to the exhibit.

Portal 🕘 Booking 🏹 Monitorir	ng 🔄 Systems 🔲 Phone Books	🙋 Reporting 🖉	Administrati	ve Tools	
Portal	Navigator				
	Ticketing Service				
IMS has 8 open ticket(s). Go to TMS Ticket	s for m System Overview	6	le.		
	Manage Dial Plan	C			_
Systems	Provisioning , ticke	t level 📐 💛		Conferences and res	ervations
🚊 Endpoints		st ticket level Critical	0	Pending	
🔂 MCUs		st ticket level Major	0	Active	
👌 Gatekeepers	erna	st ticket level Minor	0	Finished	
🟦 Gateways		st ticket level Warning	4	Requests	
E Rooms	Purge Systems			Open Corference Cont	rol Center
A Border Controllers	Event Notification Manager				
🚊 Recording and streaming devices	0 System Usage				
a Equipment	0			2	
应 Other					Endpoints
Total number of systems	0.8			Endpoin	ts in Call
Total number of licences	0.6				-
Number of free licences	0.4				-
	0.2				-
	7/24/2012				

Which system tab can be used to add video infrastructure devices and endpoints?

- A. Navigator
- B. System Overview



- C. Configuration Templates
- D. Provisioning
- E. Administrative Tools

Correct Answer: A

Section 1 - Basic Endpoint configuration Step 1 - Prior to setting up the traversal zone you will need to get all of your endpoints registered to your video network. There are several ways to do this for simplicity we will walk you through just one option. a. On your lab laptop open a web browser and navigate to your Telepresence Management Suite (TMS) instance at: http://tms.collab.com/tms b. Login as

dministrator	- 33					
	Cisco12345					
0 0	TM	S > Portal > Portal				
TMS > Portal > Portal +						
) ) S dit tms.collab.com/tms/defa	ult.aspx?pageId=14		17 V C	Google	Q)	1
Most Visited 🔻 👑 Cisco.com 📴 My GS		Linksys ditter Scientific Atlanta	WebEx	CEC Indexes -	» 🔀 Bookma	000
sco TelePresence Management S	uite	•	, C		Search	
Portal 🕘 Booking 🛒 Monitoring	Systems T Phone	e Books 🛛 🙋 Reporting	Administrative	Tools	3 9 8	0
Portal	Navigator				You are here: • Portal •	Po
1	Ticketing Service					
TMS has 1 open ticket(s). Go to TMS Tickets for	or System Overview					
	Manage Dial Plan			<i>c</i>		-(
Systems	Provisioning	ticket level		Conferences an	d reservations	
🚊 Endpoints	Configuration Backup	permost ticket level Critical	0	Pending	0	
🔝 MCUs	Configuration Templates	permost ticket level Major	0	Active	0	ř.
🚴 Gatekeepers	System Upgrade	permost ticket level Minor	0	Finished	0	ř.
👥 Gateways	Purge Systems	permost ticket level Warning	2	Requests	0	1
E Rooms		vice		Open Conferen	nce Control Center	
Border Controllers	Event Notification Manager					1
Recording and streaming devices	O System Usage					
Equipment						2
🖄 Other	0 0.6 -				Booked Endpoints	
Total number of systems	2 0.4				Endpoints in Call	
Total number of licences	2 0.2					
Number of free licences	19 -0.2					
	-0.4					
	-0.6	3/30/2012	4/	9/2012	4/19/2012	
<ul> <li>Open System Navigator</li> </ul>	► Show Conferent	New York (response)			200000000000000000000000000000000000000	ā.
						-

Figure 1 TMS Login Step 2 -Navigate to Systems Navigator (Figure 1) Step 3 - Click the "Endpoints" folder on the left side of the window and click "add systems" as depicted below in Figure 2



Portal 🕘 Booking	Monitoring	Systems	Phone Books	Le Reporting	Administrative To	pols	?	L 00
Navigator				ant.ou		You are here:	Systems	Navigator
Folder View		Endpoints	Geo	koe	E	Edit This Folder Folder and	I System Per	missions
Endpoints		Move/Copy Delete	New Folder	Add Systems	2			

Figure 2 Adding Endpoints

Step 4 - Enter the IP address of your C60, and the EX60 that is not registered to CUCM into the Specify Systems text field, separating each with a comma as depicted in Figure 3below.

-Make sure that you: Leave the ISDN and IP zones "Collab Demo"

-Ensure that the time zone is set to "Eastern"

-You can find the IP address of your EX60s via the system information screen on the touch panel.

-For the C60 press the home key then the far right smart button to bring up your System information screen.

	TMS > Systems > Navigator		
م ک ای این tms.collab.com/tms/d	+ efault.aspx?pageId=10 GSX - CEC III CEC Linksys 👑 Scientific Atlanta	☆ マ C Soogle	Q 🕋
tituli cisco TelePresence Management			Search
Portal 🕘 Booking 🖓 Monitoring	g 🙀 Systems 🕅 Phone Books 🙋 Reporting 🥖	Administrative Tools	0 L B 00
Navigator		You	u are here: • Systems • Navigator
Folder View	Add Systems From List Pre Register Systems Add Room	/ Equipment	
Company Name     Discovered Systems     Endpoints     This functions     The function of	Specify Systems by IP Addresses or DNS names Enter the IP address, DNS name or IP range of the systems to add, E The following example will add two systems, and scan ten systems in I		
	Enter Location Settings         ISDN Zone:       Collab Demo         Time Zone:       (GMT - 05:00) Eastern Time (US & Canada)	Collab Demo 🔽	×
S	Advanced Settings 2 Next » Cancel		\$
Administrator Guy (tms)administrator)		Sequer Time: 03:13 PM	S/N: 80400001 Version: 13.2

#### Figure 3 Adding Endpoints to TMS



Step 5 - Click next, a progress window will appear as TMS reaches out to each endpoint. Once completed you see the "Add Result" screen showing that the endpoints were successfully discovered.

Step 6 - Finally click "Finish Adding Systems" as depicted in Figure 4.

NOTE: If your endpoints throw warnings click the check box next to them to view and correct the warnings or click "Add system despite Warnings" if available

CISCO TelePresence Management Suite

Navigator	cQ	
older Vew	- Add Result	
🖃 📾 Company Name	Systems Found	
Discovered Systems	Network Address System Name	System Type
⊡ ∰ Endpoints <u>∰</u> No Name (10.5.0.202) <u>∰</u> No Name (10.5.0.116) ∭ Infrastructure	0.5.0.202 Clint Barton - C6	0 TANDBERG Codec C60
	10.5.0 116 Natasha Roman	off- EX60 TANDBERG EX60
	Add Station Despite Warnings Rem	nove Systems
	Finish Adding Systems Add More Sys	tems

Reference: http://ciscovideolab.com/mediawiki/index.php?title=Lab1

http://www.cisco.com/c/dam/en/us/td/docs/telepresence/infrastructure/tms/admin\_guide/Cisco-TMS-Admin-Guide-14-6.pdf

#### **QUESTION 3**

Refer to the exhibit.



- Device Information —		
Product:		SIP Trunk
Device Protocol:		SIP
Trunk Service Type		None(Default)
Device Name*		LAB_VCS
Description		LAB_VCS
Device Pool*		VAB
Common Device Configuration		< None
Call Classification*		Use System Default
Media Resource Group List		< None >
Location*		Hub_None
AAR Group		< None >
Tunneled Protocol*	N_	None
SIP Protile Information		
Name*	Standard SIP Profile For	r Cisco VCS
Description	Default SIP Profile For C	Cisco Video Communication Server
Default MTP Telephony Event Parload Type*	101	
Early Offer for G.Clear Call	Disabled	▼]
User-Agent and Server header information*	Send Unified CM Version	n Information as User-Agen 🔻
Version in User Agent and Server Header*	Major And Minor	¥
-SDP Information		
Send send-receive SDP in mid-call INVITE	E	
Allow Presentation Sharing using BFCP		
Allow iX Application Media		
Allow multiple codecs in answer SDP		

A network engineer configures a Cisco Unified Communications Manager and VCS integration via a SIP trunk. Endpoint A is able to conduct video calls to Endpoint B. When Endpoint A attempts to share presentation content with Endpoint B, Endpoint B sees the presentation video on the main screen rather than on the presentation display. What is the cause?

- A. The default MTP telephony payload is incorrect.
- B. The SIP trunk is not running on all active Cisco Unified Communications Manager nodes.
- C. MTP is not forced to be required.
- D. BFCP is not enabled.
- E. The MTP preferred codec is incorrect for content presentation.

Correct Answer: D

Configuring the SIP Profile for phone devices This creates the SIP Profile that is to be applied to all phone devices.



1.

On Unified CM, go to Device> Device Settings> SIP Profile.

2.

Click Copy against the Standard SIP Profile.

3.

Configure the following fields, leaving everything else a sits default value:

4.

Click Save

Name	Standard SIP Profile-for phone devices.			
Use fully qualified domain in SIP requests.	Select the checkbox.			
Allow Presentation sharing using BFCP	Select the check box if BHCP(Dual video/ Presentation sharing) is required.			

Reference: http://www.cisco.com/c/dam/en/us/td/docs/telepresence/infrastructure/vcs/config\_guide/Cisco\_VCS\_Cisco\_Unified\_Communications\_Manager\_Deployment\_Guide\_CUCM\_8\_9\_and\_X7-2.pdf

### **QUESTION 4**

Conference solution for video streaming (Choose two)

A. TCS

B. VCS

C. TMS

D. TS

E. MCU 4500

Correct Answer: AE

### **QUESTION 5**

Refer to the exhibit. When the administrator clicks the ticket number of any of the open tickets, which two actions are presented to the administrator? (Choose two.)



Sy Sy	stem Type: TAN rsion: X7.1		System status: Idle	Network Address: vcs1.dca221.ko	cal Connectivity: Reachable on L4
Edit Settings	Ticket Filters	Ticket log	]		
Tickets		20		- Cl	•
Open Tickets:				CO*	
#3857 - V System V	Verbose log le Varning Ticket M	vels configur ore	ed - One or more me	odules of the Network Log or Sup	port Log have been set to a level
#3741 - 5		The connect	ion to the TMS Provi	sioning Extension services is not	using TLS encryption (5/31/2012 6
#50 - Ins		rd in use - Tl	he admin user has th	ne default password set (3/22/2013	2 6:46:57 PM)
	ecure passwo Varning Ticket M		he root user has the	default password set (3/22/2012 2	2:44:00 AM)
<ul> <li>Add cust</li> <li>Open s</li> </ul>	om ticket system in Syst	em Navigator	Go		
General		26	Ra.		
Configuration		all			
Network Settin	gs	de			
Monitoring/SNM	IP Settings				
Save Boot	Force Refres	h Enforce M	anagement Settings		

- A. ignore ticket
- B. acknowledge ticket
- C. delete ticket
- D. close ticket
- E. escalate ticket

Correct Answer: AB

Latest 210-065 Dumps

210-065 PDF Dumps

210-065 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

# Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

#### https://www.geekcert.com/allproducts

## **Need Help**

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:



#### **One Year Free Update**



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



To ensure that you are spending on quality products, we provide 100% money back guarantee for 3<u>0 days</u>

**Money Back Guarantee** 

from the date of purchase



#### Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners. Copyright © geekcert, All Rights Reserved.