



250-251^{Q&As}

Administration of HA Solutions for UNIX (VCS 5.0)

Pass Symantec 250-251 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/250-251.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Symantec
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Consider the following configuration:

```
group GroupA (  
  
  SystemList = { SystemA = 1, SystemB = 2 }  
  AutoStartList = { SystemA }  
  Frozen = 1  
)
```

While GroupA is online, all of the systems in the cluster are rebooted simultaneously. All of the systems finish booting and successfully join the cluster. What will happen to the service group, GroupA?

- A. It will start on SystemA.
- B. It will remain offline on all systems.
- C. It will resume its state before the reboot.
- D. It will start on SystemA in a frozen state.

Correct Answer: B

QUESTION 2

A PostOnline trigger is being tested on a 3-node cluster with systems named SystemA, SystemB, and SystemC. The trigger works on SystemA, but it fails to run on SystemB and SystemC. What is a possible reason for this?

- A. The PostOnline trigger is missing from SystemB and SystemC.
- B. The hatrigger -sync script must be run on SystemA.
- C. The PostOnline attribute is set to false on SystemB and SystemC.
- D. The hasys attribute for triggers is Disabled on SystemB and SystemC.

Correct Answer: A

QUESTION 3

A cluster has a service group with a particular functionality. There is a need for an additional service group that has very similar functionality. How can the new service group be created in a running cluster?

- A. edit the Veritas Cluster Server simulators main.cmd file and import it into the running cluster
- B. copy the resources into a new service group using the Veritas Cluster Server Java GUI
- C. copy the service group using the Veritas Cluster Server Java GUI



D. run hacf -verify and paste the new service group into the cluster\\s main.cf

Correct Answer: B

QUESTION 4

A two-system VCS cluster has two dedicated Ethernet heartbeat links and I/O Fencing enabled. What will happen if both heartbeat links simultaneously fail?

- A. The cluster automatically stops on both systems.
- B. All services groups are frozen on both systems.
- C. Both systems panic and reboot into the cluster.
- D. One system panics and the other remains running.

Correct Answer: D

QUESTION 5

What is the default level of authorization of a new VCS user?

- A. Cluster Administrator
- B. Cluster Operator
- C. Cluster Guest
- D. Group Administrator
- E. Group Operator

Correct Answer: C

[250-251 VCE Dumps](#)

[250-251 Exam Questions](#)

[250-251 Braindumps](#)