



# 250-254<sup>Q&As</sup>

Administration of Symantec Cluster Server 6.1 for UNIX

## Pass Symantec 250-254 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/250-254.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Symantec  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Which method would be the most beneficial to protect the cluster when faced with intermittent network issues on the private heartbeat links?

- A. Implement Quorum resource to protect heartbeat links
- B. Implement a low-pri heartbeat on the public NIC in the configuration
- C. Implement a Steward Process to watch the private heartbeats in the environment
- D. Implement a Virtual Business Service to provide arbitration across cluster nodes

Correct Answer: B

---

### QUESTION 2

What occurs when an administrator runs the command `hastop -all -force`?

- A. LLT and GAB are brought offline on all cluster nodes.
- B. Applications are brought offline, and the cluster stops.
- C. HAD and hashadow processes are stopped on all cluster nodes.
- D. All applications are forcibly brought offline, but the cluster remains online.

Correct Answer: C

---

### QUESTION 3

Veritas Cluster Server (VCS) includes a disk-based I/O fencing mechanism.

Thinking specifically about data disks, which two cluster configuration requirements must be met to implement this? (Select two.)

- A. The application using the disks must be managed by a VCS Application resource type.
- B. The disks must be in a Veritas Volume Manager disk group.
- C. The service group containing the disks must include an IP resource.
- D. The disks must be managed by a VCS DiskGroup resource type.
- E. The disks must contain at least one \*.dbf file.


Correct Answer: BD

---

### QUESTION 4



What is a purpose of running a virtual fire drill?



- A. To test that a specific system in the cluster is a viable failover target
- B. To test disaster recovery by switching the service group to the failover target
- C. To carry out the one-time configuration tasks required for the service group
- D. To test the service group configuration by copying it into the VCS Simulator

Correct Answer: A

#### QUESTION 5

Which Veritas Cluster Server command should be used to change OnlineRetryLimit for all Mount resources?

- A. haattr



B. hagr p

C. hatype

D. haagent

Correct Answer: C

[250-254 VCE Dumps](#)

[250-254 Study Guide](#)

[250-254 Braindumps](#)