



250-438^{Q&As}

Administration of Symantec Data Loss Prevention 15

Pass Symantec 250-438 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/250-438.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Symantec
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which two DLP products support the new Optical Character Recognition (OCR) engine in Symantec DLP 15.0? (Choose two.)

- A. Endpoint Prevent
- B. Cloud Service for Email
- C. Network Prevent for Email
- D. Network Discover
- E. Cloud Detection Service

Correct Answer: BC

QUESTION 2

Why is it important for an administrator to utilize the grid scan feature?

- A. To distribute the scan workload across multiple network discover servers
- B. To distribute the scan workload across the cloud servers
- C. To distribute the scan workload across multiple endpoint servers
- D. To distribute the scan workload across multiple detection servers

Correct Answer: D

If you plan to use the grid scanning feature to distribute the scanning workload across multiple detection servers, retain the default value (1)

QUESTION 3

What detection server is used for Network Discover, Network Protect, and Cloud Storage?

- A. Network Protect Storage Discover
- B. Network Discover/Cloud Storage Discover
- C. Network Prevent/Cloud Detection Service
- D. Network Protect/Cloud Detection Service

Correct Answer: B

Reference: https://help.symantec.com/cs/dlp15.0/DLP/v16110606_v120691346/Modifying-the-Network-Discover-Cloud-Storage-Discover-Server-configuration?locale=EN_US



QUESTION 4

A DLP administrator determines that the \SymantecDLP\Protect\Incidents folder on the Enforce server contains .BAD files dated today, while other .IDC files are flowing in and out of the \Incidents directory. Only .IDC files larger than 1MB are

turning to .BAD files.

What could be causing only incident data smaller than 1MB to persist while incidents larger than 1MB change to .BAD files?

- A. A corrupted policy was deployed.
- B. The Enforce server's hard drive is out of space.
- C. A detection server has excessive filereader restarts.
- D. Tablespace is almost full.

Correct Answer: D

QUESTION 5

A divisional executive requests a report of all incidents generated by a particular region, summarized by department. What does the DLP administrator need to configure to generate this report?

- A. Custom attributes
- B. Status attributes
- C. Sender attributes
- D. User attributes

Correct Answer: A

[250-438 PDF Dumps](#)

[250-438 VCE Dumps](#)

[250-438 Study Guide](#)