



250-440^{Q&As}

Administration of Symantec PacketShaper 11.9.1

Pass Symantec 250-440 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/250-440.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Symantec
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which scenario would the "burstable al priority" attribute be used in?

- A. To enable a traffic class to access unused bandwidth at Priority 3 or above
- B. When a limit is specified that is less than the policy's guaranteed rate
- C. When a limit is specified that is greater than the policy's guaranteed rate
- D. To enable a traffic class to access unused bandwidth at a specified priority level

Correct Answer: B

QUESTION 2

Which statement accurately describes the PacketShaper measurement engine?

- A. It collects histogram data that can be backed up to the PacketShaper
- B. Its data is stored in tab-delimited lists
- C. It collects histogram data that can be exported to a die
- D. It is a background process that collects traffic tree data

Correct Answer: C

QUESTION 3

Which option contains adaptive response agents?

- A. Network health, Unit health and Application health
- B. Component health, Application health and Active interfaces
- C. Unit health, CPU load balancing and Cluster health
- D. Component health, Active interfaces and Network health

Correct Answer: A

Explanation: <https://originsymwisedownload.symantec.com/resources/webguides/packetguide/11.9/Content/Topics/overviews/adaptiveresponse-overview.htm>



QUESTION 4

What statement accurately describes Folder classes and Default classes?

- A. Folder classes are used for exceptions, and Default classes are used to define how matches for traffic flows are found
- B. Folder classes are used for organization, and Default classes are used to catch unclassified traffic
- C. Folder classes and Default classes always share the same parent classes
- D. Folder classes are used to catch unclassified traffic, and Default classes are used for organization

Correct Answer: A

QUESTION 5

Which file type is created when saving a traffic tree with the command: config save myshaper?

- A. LDIF
- B. A file in a custom binary format
- C. HTML
- D. XML

Correct Answer: A

[Latest 250-440 Dumps](#)

[250-440 VCE Dumps](#)

[250-440 Study Guide](#)