



# 299-01<sup>Q&As</sup>

Riverbed Certified Solutions Professional - Network Performance Management

**Pass Riverbed 299-01 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/299-01.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Riverbed Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

For Service policies that get applied to End User segments, by default separate policies are tracked by location for the client traffic. Which of the following is NOT true regarding flexibility in configuration of these End User segments?

- A. The default hostgroup type used can be changed from Configuration > General Settings.
- B. Different hostgroup types can be used for monitoring End User segments for each Service.
- C. While editing the Service one has the capability to select all sites or a subset of sites to include for monitoring.
- D. When adding a Service Health by Location widget to a dashboard, one has the capability to include all locations or a subset (maximum of 10).
- E. The default hostgroup type used for monitoring End User segments is ByLocation.

Correct Answer: B

---

### QUESTION 2

When you create an index within Cascade Pilot for a trace file. (Select 2)

- A. The index will be removed when Cascade Pilot is closed.
- B. The operation can take a few minutes.
- C. You cannot apply Views that do not support indexing.
- D. The trace file icon changes to a lightning bolt to indicate that it is indexed.

Correct Answer: BD

---

### QUESTION 3

Which of the following is a valid group definition on Cascade Profiler? (Select 4)

- A. 10.0.0.0/23 United\_States
- B. 0.0.0.0/0.0.0.0 Worldwide
- C. 24.32.8.43/32 CEO\_Printer
- D. 192.168.0.5/255.0.255.0 Printers
- E. 10.38.14.1/255.255.255.255 My Computer

Correct Answer: ABCD

---

### QUESTION 4



To better analyze live traffic on Cascade Shark from Cascade Pilot you should:

- A. Apply a View on the live interface and then start a Capture Job on the capture port to analyze traffic later.
- B. Start a Capture Job on the capture port with a BPF filter and apply a View on the live interface for the same capture job.
- C. Start a Capture Job on the capture port, apply a View on the live interface and create a trace clip for the time window of interest.
- D. Never create a Capture Job to prevent packet drops.

Correct Answer: C

---

#### QUESTION 5

An interactive view within Cascade Pilot:

- A. Can be created from a single applied View.
- B. Can work on local trace files only.
- C. Can include more than two charts.
- D. Is not available in the regular Cascade Pilot installation.

Correct Answer: C

[299-01 PDF Dumps](#)

[299-01 Practice Test](#)

[299-01 Study Guide](#)