



# 2V0-01.19<sup>Q&As</sup>

VMware vSphere 6.7 Foundations Exam 2019

## Pass VMware 2V0-01.19 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/2v0-01-19.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by VMware  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

A vSphere administrator has been tasked with enabling upstream failure detection for networking in an environment that does not support link state tracking.

Which statement is a VMware-recommended option?

- A. Satisfy prerequisites and enable Beacon probing.
- B. Enable Explicit failover order and ensure Failback is selected.
- C. Enable Explicit failover order and ensure Notify Switches is selected.
- D. Configure a port-channel with LACP.

Correct Answer: A

Reference: <https://kb.vmware.com/s/article/1005577>

---

### QUESTION 2

Which password meets the default password requirements in ESXi 6.x?

- A. Xqa\_hin3
- B. xTaMEhb!
- C. xQA!3h
- D. Xqavntthi3

Correct Answer: B

---

### QUESTION 3

Which are two steps that a vSphere administrator must take to increase the capacity of an existing VMFS datastore that is participating in a Storage DRS cluster? (Choose two.)

- A. In the vSphere Web Client navigator, select Global Inventory Lists > Datastore Clusters.
- B. Select the target datastore to grow and click the Increase Datastore Capacity icon.
- C. Select the target datastore cluster and click the Add Datastore icon.
- D. In the vSphere Web Client navigator, select Global Inventory Lists > Datastores.

Correct Answer: BD

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.storage.doc/GUIDD57FEF5D-75F1-433D-B337-E760732282FC.html>

---



#### QUESTION 4

A vSphere administrator has been tasked with ensuring that 500 virtual desktops are unable to communicate with one another, but can communicate with required services.

Which two solutions does VMware recommend? (Choose two.)

- A. vSphere Host Firewall
- B. Private VLAN
- C. VMware NSX Distributed Firewall
- D. Port Filtering

Correct Answer: BC

---

#### QUESTION 5

A vSphere administrator uses vMotion to migrate a virtual machine between two ESXi hosts and notices that they can no longer ping the VM.

What is the cause?

- A. The destination host has an incorrect VLAN tag on the virtual machine port group for the VM.
- B. The destination host has two port groups with the same VLAN tag.
- C. There is an MTU mismatch.
- D. The virtual machine has RDMS attached.

Correct Answer: B

[Latest 2V0-01.19 Dumps](#)

[2V0-01.19 Practice Test](#)

[2V0-01.19 Braindumps](#)