

2V0-21.19^{Q&As}

Professional vSphere 6.7 Exam 2019

Pass VMware 2V0-21.19 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/2v0-21-19.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by VMware Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.geekcert.com/2v0-21-19.html

2024 Latest geekcert 2V0-21.19 PDF and VCE dumps Download

QUESTION 1

What should be installed on a VM to assist with VM-to-host time synchronization?

- A. VMware Tools
- B. vRA guest agent
- C. vROps agent
- D. Guest Operations Manager

Correct Answer: A

Reference: https://docs.vmware.com/en/VMware-vSphere/6.0/com.vmware.vsphere.vm_admin.doc/GUIDC0D8326A-B6E7-4E61-8470-6C173FDDF656.html

QUESTION 2

What should the administrator do to monitor the size of the VM snapshot?

- A. Use native Guest OS monitoring tools.
- B. Install VMware Tools.
- C. Create a condition-based alarm.
- D. Run esxtop.

Correct Answer: C

Reference: https://kb.vmware.com/s/article/1018029

QUESTION 3

Which configuration could prevent an administrator from performing a vSphere vMotion migration?

- A. CPU affinity is enabled on the VM.
- B. The ESXi hosts use IPv6 addresses.
- C. The VM has an RDM in virtual compatibility mode.
- D. 1GbE adapters are in use for the vMotion network.

Correct Answer: A

QUESTION 4



https://www.geekcert.com/2v0-21-19.html

2024 Latest geekcert 2V0-21.19 PDF and VCE dumps Download

A VSS is configured with two uplinks and assigned a load balancing policy route based on a virtual port ID. What are two potential disadvantages of this configuration? (Choose two.)

- A. A VM with a single MAC address is limited to the speed of the uplink associated with the relevant port ID.
- B. Higher resource consumption compared to other load balancing algorithms will occur.
- C. The virtual switch is unaware of uplink load and uplinks might become overloaded.
- D. The NIC with less load is more likely to be chosen if port IDs match.
- E. ESXi will use NIOC to attempt to mitigate network congestion when an uplink becomes saturated.

Correct Answer: AC

Reference: https://docs.vmware.com/en/VMware-vSphere/6.7/com.vmware.vsphere.networking.doc/GUIDA4F1BF4B-8199-45A1-9578-1E4B6B08DAB0.html

QUESTION 5

What are two features of the CPU scheduler? (Choose two.)

- A. allocates CPU and memory resource usage
- B. determines which worlds are entitled to CPU time
- C. schedules vCPUs on physical CPUs
- D. creates a world for each virtual machine to run in
- E. checks CPU uptime

Correct Answer: AC

<u>Latest 2V0-21.19 Dumps</u> <u>2V0-21.19 Practice Test</u> <u>2V0-21.19 Exam Questions</u>