



# 2V0-21.20<sup>Q&As</sup>

Professional VMware vSphere 7.x

## Pass VMware 2V0-21.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/2v0-21-20.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by VMware  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

An administrator wants to configure vCenter Server High Availability so that each node is located in a different data center.

Which requirement must be met? (Choose the best answer.)

- A. Each node must be configured with at least three network adapters.
- B. Network latency between the nodes must be less than 10 milliseconds.
- C. All nodes must be located on a vSAN datastore in each data center.
- D. A vCenter Server license must be assigned to each node.

Correct Answer: B

---

### QUESTION 2

An administrator wants to enable bandwidth allocation for workloads by using Network I/O Control.

What should the administrator configure to accomplish this? (Choose the best answer.)

- A. Management traffic
- B. Virtual machine traffic
- C. Load-balancing
- D. NIC teaming policy

Correct Answer: B

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.7/com.vmware.vsphere.networking.doc/GUIDE13CC2B0-5357-4261-8C0E-8BE5BD56BD20.html>

---

### QUESTION 3

An administrator identifies a snapshot file named “Win10-000001-sesparse.vmdk” on a datastore. Which type of information can be determined about this datastore? (Choose the best answer.)

- A. The datastore is formatted as VMFS3.
- B. The datastore is formatted as VMFS6.
- C. The datastore is a raw device mapping.



D. The datastore is a vSAN datastore.

Correct Answer: B

Reference: <https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.storage.doc/GUID88E5A594-DEBC-4662-812F-EA421591C70F.html>

---

#### QUESTION 4

What is a pre-requisite for increasing datastore capacity? (Choose the best answer.)

- A. The backing device for the datastore has enough free space.
- B. The datastore is managed by Storage DRS (SDRS).
- C. The datastore is 100% full.
- D. There are NO powered-on virtual machines on the datastore.

Correct Answer: A

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.7/com.vmware.vsphere.storage.doc/GUID-D57FEF5D75F1-433D-B337-E760732282FC.html>

---

#### QUESTION 5

An administrator is utilizing Network I/O Control (NIOC) to allocate bandwidth utilization on a physical 10 Gbps adapter.

What is the maximum amount of bandwidth that can be reserved? (Choose the best answer.)

- A. 2.5 Gbps
- B. 10 Gbps
- C. 5.0 Gbps
- D. 7.5 Gbps

Correct Answer: D

Reference: <https://docs.vmware.com/en/VMware-NSX-T-Data-Center/2.4/installation/GUID-9A8FD62AF099-4329-8220-6D5853F9A62D.html> (note)