



2V0-41.20^{Q&As}

Professional VMware NSX-T Data Center

Pass VMware 2V0-41.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/2v0-41-20.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

How is the RouterLink port created between a Tier-1 Gateway and Tier-0 Gateway?

- A. Automatically created when Tier-1 is created.
- B. Manually create a Segment and connect to both Tier-1 and Tier-0 Gateways.
- C. Manually create a Logical Switch and connect to both Tier-1 and Tier-0 Gateways.
- D. Automatically created when Tier-1 is connected with Tier-0 from NSX UI.

Correct Answer: D

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/administration/GUID-3F163DEE-1EE64D80-BEBF-8D109FDB577C.html>

QUESTION 2

An NSX administrator has deployed an NSX Edge on a bare-metal server.

Which command registers the NSX Edge with the NSX Manager?

- A. join management-cluster username admin password thumbprint
- B. join cluster username root password thumbprint
- C. join policy-manager username root password thumbprint
- D. join management-plane username admin password thumbprint

Correct Answer: D

QUESTION 3

Which two BGP configuration parameters can be configured in the VRF Lite gateways? (Choose two.)

- A. Route Aggregation
- B. Route Distribution
- C. Graceful Restart
- D. BGP Neighbors
- E. Local AS

Correct Answer: AD

The following parameters are inherited from the default Tier-0 gateway and cannot be modified at the VRF level:



1.

Local AS

2.

Graceful restart

3.

Graceful restart timer

4.

Graceful restart stale timer

5.

Multipath relax

Inter-SR iBGP is not supported in VRF gateways.

BGP can be enabled or disabled per VRF gateway.

Route aggregation and BGP neighbors are local configurations per VRF.

QUESTION 4

Which statement is true regarding the audit user account? (Choose two.)

- A. The admin user must set the password for the audit account to log in to NSX Manager.
- B. The administrator must run the set audit user password command.
- C. The audit user has read-write access to the NSX Manager.
- D. The audit user is disabled by default and must be enabled to log in to the NSX Manager.
- E. The administrator must run the set user audit password command.

Correct Answer: AE

QUESTION 5

Which profile must be attached to the ESXi cluster to prepare the host for NSX-T Data Center?

- A. Transport Node Profile
- B. Uplink Profile
- C. Switching Profile
- D. Host Profile



Correct Answer: A

[2V0-41.20 PDF Dumps](#)

[2V0-41.20 Practice Test](#)

[2V0-41.20 Study Guide](#)