



# 2V0-622<sup>Q&As</sup>

VMware Certified Professional 6.5 – Data Center Virtualization (6.5)  
Exam

## Pass VMware 2V0-622 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/2v0-622.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by VMware  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





#### QUESTION 1

Which port is used for communication between ESXi and vSphere Data protection?

- A. 80
- B. 22
- C. 443 D. 902

Correct Answer: D

---

#### QUESTION 2

Which two clients could an Administrator use to add a new identity source to the vCenter Single Sign-On domain? (Choose two.)

- A. vSphere Client
- B. Platform Services Controller Web Interface
- C. vSphere Appliance Management Interface
- D. vSphere Web Client
- E. VMware Host Client

Correct Answer: BC

---

#### QUESTION 3

ESXi 6.5 introduces VMFS6, which supports both 512e and 512n devices. What three configurations are supported when using these devices? (Choose three.)

- A. Hosts with both 512e and 512n devices.
- B. Storage vMotion between both 512e and 512n devices.
- C. Datastore Extents spanned between both 512e and 512n devices.
- D. Storage DRS clusters containing only both 512e and 512n devices.

Correct Answer: ABD

VMFS can host both 512e and 512n devices. It also supports storage vMotion between 512e and 512n devices. In addition to that DRS clusters can contain both 512e and 512n devices at the same time.

---

#### QUESTION 4



How can a Vsphere administrator ensure that two virtual machines never run on the same datastore in a datastore cluster, while permitting the VMs to be load balanced?

- A. Disable storage DRS for the VMs.
- B. Use an Inter VM Anti-Affinity Rule.
- C. Use an Intra-VM Anti-Affinity Rule.
- D. Configure a storage DRS VM override.

Correct Answer: D

---

#### QUESTION 5

It is determined that the Migration Assistant will be used to migrate from vCenter Server 5.5 on Windows with an external instance of Update Manager to a vCenter Server Appliance 6.5. Which option is correct in regard to migrating Update Manager?

- A. The Migration Assistant must be run on vCenter Server first and then on the Update Manager server.
- B. The Migration Assistant must be run on the Update Manager server first and then on vCenter Server.
- C. Migrating Update Manager from legacy versions of vCenter Server to a vCenter Server Appliance 6.5 is not supported.
- D. The Migration Assistant can only migrate local instances of Update Manager to the vCenter Server Appliance 6.5.

Correct Answer: B

[2V0-622 VCE Dumps](#)

[2V0-622 Practice Test](#)

[2V0-622 Exam Questions](#)