



2V0-622D^{Q&As}

VMware Certified Professional 6.5 – Data Center Virtualization Delta Exam

Pass VMware 2V0-622D Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/2v0-622d.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which feature is available for a virtual machine configured with DirectPath I/O?

- A. DRS
- B. Snapshots
- C. Fault Tolerance
- D. Clone

Correct Answer: D

The following features are unavailable for virtual machines configured with DirectPath:

QUESTION 2

Virtual Volumes supports which three VMware features? (Choose three.)

- A. Instant Clones
- B. Linked Clones
- C. Distributed Resource Scheduler
- D. Storage Distributed Resource Scheduler
- E. vMotion

Correct Answer: BCE

QUESTION 3

An administrator wants to create and use a vApp.

Which pre-requisite must be met before the administrator can create a vApp?

- A. The vApp can only be deployed in an EVC enabled cluster.
- B. The vApp must be created within a StorageDRS cluster.
- C. None. vSphere 6.5 does not support vApp deployments.
- D. The vApp can only be created in a DRS enabled cluster.

Correct Answer: D

You need to turn on Vsphere DRS to create vApp.



QUESTION 4

An administrator is trying to remove a host from a vSphere Distributed Switch named DSwitch01. The following error message is displayed:

vDS DSwitch01 port 17 is still on host 192.168.100.23 connected to VM01 nic=4000 type=vmVnic

Which two actions can the administrator make before removing the host from the vSphere Distributed Switch? (Choose two.)

- A. Migrate VM01 to DSwitch01 port 1.
- B. Add an additional vNIC to VM01 to another vSphere Distributed Switch.
- C. Migrate VM01 to another host.
- D. Disconnect the VM01's vNIC.
- E. Place VM01 into Maintenance Mode.

Correct Answer: CD

Before removing the host from distributed switch, migrate VM01 to Dswitch01 Port1. Then disconnect VM01 NIC.

QUESTION 5

Which is the minimum number of hosts required for a VMware vSAN cluster to be able to apply a vSAN RAID5 storage policy?

- A. six hosts
- B. three hosts
- C. four hosts
- D. five hosts

Correct Answer: C

[Latest 2V0-622D Dumps](#)

[2V0-622D VCE Dumps](#)

[2V0-622D Practice Test](#)